

		١	/ehicle			I	RATING	SS		/		S	AFE	ΤΥΙ	FEA	TURES
No.	s Maga	3	18 26 SE		ntal Crash Te		Crash Test	Rollover	med His life	Statilly Co	iter Central Military	Mrs dive	Presule Mandel	nd Selection of the Sel	A Million State St	***** = Best * = Worst IBI To Be (Crash) Tested
Chevrolet	Cavalier	****	****	* *§	**	****	2-DR 4-DR	A		A				S	A	S High likelihood of pelvic injury High likelihood of thigh injury W January High likelihood of thigh injury
Dodge	Neon	****	****	***	***	****	4-DR	A		А						h Higher likelihood of head injury 2-DR 2-door model
Ford	Focus	**** ****	****	***	****	**** ****	2-DR HB 4-DR Wagon	A	A	A				A		4-DR 4-door model HB Halchback 4X2 2-wheel drive model
Honda	Civic (except GX)	****	****	*** ****	****	**** ****	2-DR 2-DR HB 4-DR	A S								4X4 4-wheel drive model EXCab Extended Cab EV Electric Vehicle a Door became unlatched
		****	****	****	****	****	2-DR w/SAB	A								Safety Key
Honda	S2000	****	****	****	ND	****	2-DR conv.	S								S Standard on all vehicles in that model line A Available as an option on some or all vehicles in that model line; or standard on some vehicles in that
Hyundai	Elantra	TBT	TBT	****	****	TBR	4-DR 5-DR Wagon	A		A			A			model fine but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that model line b In *4\Wheel ABS* column indicates Brake Assist
Mazda	3	TBT	TBT	TBT	TBT	TBR	4-DR Wagon	A				A				f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints
MINI	Cooper	****	****	****	ND	****	w/SAB	S	А	A		S	A	S		x Driver side only d Door mounted side-impact air bag
MINI	Cooper S	****	****	****	ND	****	w/SAB	S	А	S		S	A	S		M Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
Mitsubishi	Eclipse	****	****	***	ND	****	2-DR	A		A						r Roof rall mounted side impact air bag
																z Seat mounted side-impact air bag Note: For vehicles with more than one row of rear seats, features are listed for the first row only.

		V el	hicle			S	A	F	E	T	Υ	F	E	A	T	U	R	E	S
100	apr .	, nd	and the state of t	integral supp	THE STATE OF THE S	_	$\overline{}$			A I N T S A I N T S Build Built Creat Creat			-IMPAC	BAGS TAIR BA		SE PROBLEM	i, iked Rest	jath	
Chevrolet	Cavalier	2-DR 4-DR	S	S		S	S	S		Az				М				c	Safety Key
Dodge	Neon	4-DR 2-DR HB	S			S		S		Az		Az						S A	A Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will
Ford	Focus	4-DR Wagon	S		S	S		S		Az		Az						b	The state of the s
Honda	Civic (except GX)	2-DR HB 2-DR HB 4-DR 2-DR w/SAB	S		\$ \$ \$ \$	S S S		\$ \$ \$		Az Az Az Az				М	S S A			f x d M	Door mounted side-impact air bag Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP)
Honda	S2000	2-DR conv.			S	S				7.2					J			r	testing Roof rail mounted side-impact air bag
Hyundai	Elantra	4-DR 5-DR Wagon	S		S	S		S	S	Sz		Sz		М	S			z M	Note: For vehicles with more than one row of rear seats, features are listed for the first
Mazda	3	4-DR Wagon	S		S	S		S	S	Az		Ar	Ar		S				row only.
MINI	Cooper	w/SAB	S		S	S				Sz		Sr	Sr		S				
MINI Mitsubishi	Cooper S Eclipse	w/SAB 2-DR	S		S	S				Sz Az		Sr	Sr	М	S		_		

		١	/ehicle			I	RATING	SS				S	AFE	ΤΥΙ	FEAT	TURES	Ratings
like to	s public	4	1th 1th		ntal Crash Te		Crash Test	Rollover	7	John Shilly Col	iga catal	Med tine	Presule Menici	A Stell Profit	Market Printer Parket	TBT To Be (Crash TBR To Be Rated Compared to the Rated ND No Data, eit the seat won	for Rollover Resistance
Mitsubishi	Eclipse Spyder						Convertible	А		A							od of pelvic injury
Mitsubishi	Lancer	****	****	**	****	****	4-DR	A									od of thigh injury
Mitsubishi	Lancer Evolution			**	****	****	4-DR	S			S					h Higher likelir 2-DR 2-door mode	nood of head injury
Mitsubishi	Lancer Sportback						Wagon	A								2-DR 2-door mode 4-DR 4-door mode	
Nissan	Sentra	****	****	**	ND	****	4-DR	Δ								HB Hatchback	
Pontiac	Sunfire	****	****	*	**	****	2-DR	A		٨				S	Λ	4X2 2-wheel driv	e model
		****	****	*****	****	****		**		А				-	A	4X4 4-wheel driv	
Pontiac	Vibe					****	4-DR	A			A			S		ExCab Extended Ca	
Saturn	lon	****	****	****	****		2-DR	A		A				S	A	EV Electric Vehic a Door becam	
		****	****		***		4-DR	A		A				S	A		
Saturn	L Series	****	****	***	****	****	4-DR	A		S				S			ty Key
Jaluiii	L Selles	****	****				Wagon	A		S				S		S Standard on all vehicles in that model line	
Subaru	Impreza	****	****	****	ND	****	4-DR wagon	S		S	S		A	A		A Available as an option on some or all vehicl model line but not available or an option or year as standard on all vehicles in that mod	es in that model line; or standard on some vehicles in that n others; or will be introduced part way through the model
Suzuki	Aerio	TBT	TBT	TBT	TBT	TBR	4-DR Wagon	A			A			S		b In "4-Wheel ABS" column indicates Brake A	
Suzuki	Forenza	TBT	TBT	TBT	TBT	TBR	4-DR	Δ						S		for front seat head restraints	ates that the resulant voluntarily fricets receil standards
Tovota	Celica	****	****	***	ND	****	2-DR	٨						S		x Driver side only	
.,		****	****	****	****	****	2-DR 4-DR	Α					Λ.	S		d Door mounted side-impact air bag M Meets voluntary quidelines for side-impact a	oir bag (CAP) out of pocition (OOP) tecting
Toyota	Corolla							A					А	2		r Roof rail mounted side-impact air bag	air vay (246) vultur-pusitivii (vur) testiny
Toyota	Matrix	****	****	****	****	****	4-DR 4x2 4-DR 4x4	А			A		A	S		z Seat mounted side-impact air bag	
							7701 444									Note: For vehicles with more than one row of rea	r seats, features are listed for the first row only.

		Vel	hicle			S	Α	F	E	Т	Υ	F	Ε	A	T	U	R		E	S
N.A.	, med	_{liter} ic	To the last of the	Natible like	Self-left Street	_			$\overline{/}$	AINTS AINTS AINTS AIRTHORN AIRTHORN CREAN	Cesture /	$\overline{}$	- IMPAC	BAGS TAIR BA		est legit	in Head Rest	gain	/	
Mitsubishi	Eclipse Spyder	Convertible				S				Az				М						Safety Key
Mitsubishi	Lancer	4-DR	S		S	S		S		Az				М					S	Standard on all vehicles in that model line
Mitsubishi	Lancer Evolution	4-DR	S		S	S		S											Α	
Mitsubishi	Lancer Sportback	Wagon	S		S	S		S		Az				М	A					some vehicles in that model line but not available or an option on others; or be introduced part way through the model year as standard on all vehicles
Nissan	Sentra	4-DR	S		S	S		S		Az		Az								model line
Pontiac	Sunfire	2-DR	S	S		S	S	S		Az				М					b	In "4-Wheel ABS" column indicates Brake Assist
Pontiac	Vibe	4-DR			S	S	S	S		Az					S				T	In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints
Coturn	lon	2-DR	S		S	S	S					Ar	Ar	М					Х	Driver side only
Saturn	lon	4-DR	S		S	S	S	S				Ar	Ar	М					d	Door mounted side-impact air bag
Column	I Carles	4-DR	S	S		S	S	S				Sr	Sr	М					M	Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OC testing
Saturn	L Series	Wagon	S	S		S	S					Sr	Sr	М					r	Roof rail mounted side-impact air bag
Subaru	Impreza	4-DR wagon	S	S	S	S		S		Az		Az		М	S	А			Z	
Complete	Audi	4-DR																	Not	ote: For vehicles with more than one row of rear seats, features are listed for th
Suzuki	Aerio	Wagon	S		S	S		5							S					row only.
Suzuki	Forenza	4-DR	S		S	S		S							S					
Toyota	Celica	2-DR			S	S				Az				М		S				
Toyota	Corolla	4-DR	S		S	S		S		Az				М	S	S				
Toyota	Matrix	4-DR 4x2 4-DR 4x4	S		S	S		S		Az				М	S	S				
		4-DK 4X4		 																

		١	Vehicle			ı	RATING	is				S	AFE	TΥΙ	FEA	TURES
				Fro	ntal Crash Te	st Side	Crash Test	Rollover								**** = Best
				/	/ /	/ /				/ /	/ /	/ /	/ /	den /	THE PARTY	TBT To Be (Crash) Tested
										6	ital			ig Star	White Att	S / iffrated TBR To Be Rated for Rollover Resistance
				/ ,	Cont.	/ _{sit} /	- sistante	. do.	/5	Cability	and	Sill [®]	o Morito	.m Real	ning lis	Under review
Make.	<i>lieds</i>	O.	Ng Sp	Settle Fil	nd October 25	of October Rolls	Ne Rejetatie	A REAL AND	Med HES HE	State Statilly Col	tion Control Mil	Meel Drive	Presur Mendi	A Syleting Regular	A RUTHING LIGHT	TBR To Be Rated for Rollover Resistance Under review ND No Data, either because of instrument failure during the test or because the seat would not accommodate the instruments W/SAB The vehicle tested was equipped with a side-impact air bag
		_		\leftarrow	\leftarrow	\leftarrow	\leftarrow	$\overline{}$	<u>/ `</u>	$\overline{}$	/ *	<u>/ </u>	/ No.	/ 00	, Riv	
Toyota	Prius	TBT	TBT	TBT	TBT	TBR	4-DR	S	A	S			A	A		§ High likelihood of pelvic injury
Toyota	Scion xA	TBT	TBT	TBT	TBT	TBR	4-DR	S					A			¥ High likelihood of thigh injury
Volkswagen	Golf/GTI						2-DR w/SAB	S	Α	S			A	S	A	h Higher likelihood of head injury 2-DR 2-door model
Volkswagen	Golf	****	****	****	****		4-DR w/SAB	S	Α	S				S	A	4-DR 4-door model
JJ		****	****	****	****	****	4-DR w/SAB	S	Δ	S				S	Δ	HB Hatchback
Volkswagen	Jetta	****	****			****		S	,	S				ς	۸ ۸	4X2 2-wheel drive model
							4-DR wgn w/SAB		A						A	4X4 4-wheel drive model
Volkswagen	New Beetle	****	****	*****	***	****	2-DR w/SAB	S	A	S			A	S	А	ExCab Extended Cab
		****	****				2-DR conv w/SAB	S	A	S				S		EV Electric Vehicle
Volkswagen	R32						2-DR w/SAB	S	S	S	S		S	S		a Door became unlatched
2004 Me	edium Passenger (Cars (3	000-3	499 lbs	. curb v	weight)										Safety Key
Acura	TSX	TBT	TBT	TBT	TBT	TBR	4-DR w/SAB	S	S	S			S			S Standard on all vehicles in that model line
Acura	NSX-T						Convertible	S		S						 A Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model
Audi	A4/S4	****	****	****	****	****	4-DR w/SAB	S	S	S	A	S	A		A	year as standard on all vehicles in that model line
Audi	A4/S4 Avant	****	****				4-DR w/SAB	S	S	S	S	S	A		Α	b In "4-Wheel ABS" column indicates Brake Assist f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards
Audi	A4 Cabriolet						Conv. w/SAB	S	S	S		S	A		Α	for front seat head restraints
Audi	A6						4-DR w/SAB	S	S	S	A	-	A		A	x Driver side only d Door mounted side-impact air bag
Audi	A6 Avant						4-DR w/SAB	S	S	S	S		A		A	M Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
Audi	TT Coupe						2-DR w/SAB	S	S	S	A		-,-		Α	r Roof rail mounted side-impact air bag
Audi	TT Roadster			****	ND	****	Conv. w/SAB	S	S	S	A				A	z Seat mounted side-impact air bag
							23 1., 37.0				.,					Note: For vehicles with more than one row of rear seats, features are listed for the first row only.

		Vel	nicle			S	A	F	E	T	Υ	F	E	A	T	U	R
"Mg.	Helds	ling.	i kite k	Maddle Unic	Sept Help of		/ /	_	ESTR	AINIS AI	Red Front Ore Williams		-IMPAC	BAGS TAIR BA		SE LEGITORIE	in Head Real
Toyota	Prius	4-DR	S		S	S		S		Az		Ar	Ar	М	S	S	
Toyota	Scion xA	4-DR	S		S	S	S	S		Az		Ar	Ar	М	S	S	
Volkswagen	Golf/GTI	2-DR w/SAB	S		S	S		S		Sz		Sr	Sr		S		
Volkswagen	Golf	4-DR w/SAB	S	S	S	S		S		Sz		Sr	Sr		S		
Volkswagen	Jetta	4-DR w/SAB	S		S	S		S		Sz		Sr	Sr	М	S		
		4-DR wgn w/SA	3 S	S	S	S		S		Sz		Sr	Sr	М	S		
Volkswagen	New Beetle	2-DR w/SAB	S		S	S			S	Sz		Sz		М	S	S	
voitonagon	Non Books	2-DR conv w/SA	3		S	S			S	Sz		Sz		М		S	
Volkswagen	R32	2-DR w/SAB			S	S		S		Sz		Sr	Sr		S		
2004 Me	edium Passenger	Cars (30	00–3	499 lb	s. curb	weigh	t)										
Acura	TSX	4-DR w/SAB	S		S	S		S		Sz		Sr	Sr	М	S		
Acura	NSX-T	Convertible			S	S											
Audi	A4/S4	4-DR w/SAB	S		S	S		S		Sz	Az	Sr	Sr	М			
Audi	A4/S4 Avant	4-DR w/SAB	S		S	S		S		Sz	Az	Sr	Sr	М			
Audi	A4 Cabriolet	Conv. w/SAB			S	S				Sz		Sz		М			
Audi	A6	4-DR w/SAB	S		S	S		S		Sz	Az	Sr	Sr	М			
Audi	A6 Avant	4-DR w/SAB	S		S	S		S		Sz	Az	Sr	Sr	М			
Audi	TT Coupe	2-DR w/SAB			S	S				Sz		Sz					
Audi	TT Roadster	Conv. w/SAB			S	S				Sz		Sz					

Safety Key

- S Standard on all vehicles in that model line
- A Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that model line
- b In "4-Wheel ABS" column indicates Brake Assist
- f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints
- x Driver side only
- d Door mounted side-impact air bag
- M Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
- r Roof rail mounted side-impact air bag
- z Seat mounted side-impact air bag

Note: For vehicles with more than one row of rear seats, features are listed for the first row only.

		١	/ehicle			ı	RATING	SS				S	AFE	ΤΥΙ	FEA	TURES
				Fro	ontal Crash Te	st Side	Crash Test	Rollover								**** = Best * = Worst
				/	/ /	/ /				/ /	/ /	/ /	/ /	ART /	THE PARTY	TBT To Be (Crash) Tested
										6	ittol		/.iš	IN SY	White Carls	TBR To Be Rated for Rollover Resistance
				/ ,	, rant	/ _{28th} /	a sistanti	<i>d</i> o,	/ 5 /	Cability	atrol	Sing.	6 Monte	ing Real	THING LES	o Under review
Mak	s Wasi	ď	ip / Su	Settle 1	and Octobrand Re	of October Rolls	Net Rejetatie	A TESTED LA	Med HES THE	Storie Stalling Col	iter Control All	inted Dive	Presur Menici	IN SHEET SERVICE	AND RUTHER LIGHT	Ber Go Be (Crash) Gested
		\leftarrow		\leftarrow	_	$\overline{}$			_	(<u> </u>	<u>/ </u>	/ W		Re	1.11
BMW	325i	****	****	*§	****	****	4-DR w/SAB	S	S	S		A	A	S	A	§ High likelihood of pelvic injury
BMW	325xi	****	****	***§	****	****	4-DR w/SAB	S	S	S	S	А	Α	S	A	¥ High likelihood of thigh injury
BMW	330i	****	****	***§	****	****	4-DR w/SAB	S	S	S		Α	Α	S	A	h Higher likelihood of head injury 2-DR 2-door model
BMW	330xi	****	****	***§	****	****	4-DR w/SAB	S	S	S	S	A	A	S	A	4DR 4door model
BMW	325i Sport Wagon	****	****				5-DR w/SAB	S	S	S		A	A	S	A	HB Hatchback
BMW	325xi Sport Wagon	****	****				5-DR w/SAB	S	S	c	S	Λ	Λ	ç	۸	4X2 2-wheel drive model
DIVIVV	JZJAI SPOIT Wayon									,	J	Λ	^	,	Λ	4X4 4-wheel drive model
BMW	325Ci						2-DR w/SAB	S	S	S		A	A	2	A	ExCab Extended Cab
							Conv. w/SAB	S	S	S		A	A	S	A	EV Electric Vehicle a Door became unlatched
BMW	330Ci						2-DR w/SAB	S	S	S		A	Α	S	А	
DIVIVV	JJ001						Conv. w/SAB	S	S	S		Α	Α	S	A	Safety Key
							2-DR w/SAB	S	S	S		S	S	S	А	S Standard on all vehicles in that model line
BMW	M3						Conv. w/SAB	S	S	S		S	S	S	A	A Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model
Buick	Century	****	***	***	***	****	4-DR	A		A		A		S	A	year as standard on all vehicles in that model line
Buick	Regal	****	***	***	***	****	4-DR	A		A		A	A	S	A	b In "4-Wheel ABS" column indicates Brake Assist f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards
Cadillac	XLR						Convertible	S	S	ç		S	S	S	S	for front seat head restraints
	Classic	****	****	***	****	****	4-DR	A	,			,	,	S	3	x Driver side only
Chevrolet	CIGSSIL							А						3		d Door mounted side-impact air bag
Chevrolet	Corvette						2-DR	S	S	S		S	A	S	A	M Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing r Roof rail mounted side-impact air bag
							Convertible									z Seat mounted side-impact air bag
Chevrolet	Impala	****	****	****	****	****	4-DR	A		A		A	А	S	A	Note: For vehicles with more than one row of rear seats, features are listed for the first row only.

		Vel	nicle			S	Α	F	E	T	Υ	F	Ε	A	Т	U	R	Ε	S
Neg.	Mark	W.	A SERVED TO THE	jijijide lift		_				A I N T S A I N T S A I N T S Check I		$\overline{}$	-IMPAC	BAGS TAIR BA ARREA		Seatheat Read	italit Head Re	Araint .	
BMW	325i	4-DR w/SAB	S		S	S				Sd	Ad	Sr			S				Safety Key
BMW	325xi	4-DR w/SAB	S		S	S				Sd	Ad	Sr			S			S	Standard on all vehicles in that model line
BMW	330i	4-DR w/SAB	S		S	S				Sd	Ad	Sr			S			Α	Available as an option on some or all vehicles in that model line; or standard on
BMW	330xi	4-DR w/SAB	S		S	S				Sd	Ad	Sr			S				some vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that
BMW	325i Sport Wagon	5-DR w/SAB	S		S	S		S		Sd	Ad	Sr			S				model line
BMW	325xi Sport Wagon	5-DR w/SAB	S		S	S		S		Sd	Ad	Sr			S			b f	In "4-Wheel ABS" column indicates Brake Assist In "Rear Seat Head Restraint" column indicates that the restraint voluntarily
BMW	325Ci	2-DR w/SAB	S		S	S				Sd	Ad	Sr			S			'	meets federal standards for front seat head restraints
Dilli.	02001	Conv. w/SAB	S		S	S	S			Sd	Ad				S			Х	Driver side only
BMW	330Ci	2-DR w/SAB	S		S	S				Sd	Ad	Sr			S			d M	Door mounted side-impact air bag Meets voluntary quidelines for side-impact air bag (SAB) out-of-position (OOP)
5		Conv. w/SAB	S		S	S	S			Sd	Ad				S			IVI	testing
BMW	M3	2-DR w/SAB	S		S	S				Sd	Ad	Sr			S			r	Roof rail mounted side-impact air bag
		Conv. w/SAB	S		S	S	S			Sd	Ad				S			Z	Seat mounted side-impact air bag
Buick	Century	4-DR	S	S		S	S			Az				М				No	ote: For vehicles with more than one row of rear seats, features are listed for the first row only.
Buick	Regal	4-DR	S	S		S	S			Az				М					ion only.
Cadillac	XLR	Convertible	S		S	S	S			Sz				М					
Chevrolet	Classic	4-DR	S	S		S	S												
Chevrolet	Corvette	2-DR					S												
Glicviolet	COI VELLE	Convertible					,												
Chevrolet	Impala	4-DR	S	S		S	S	S		Az				M					

		١	/ehicle			I	RATING	is				S	AFE	TΥΙ	FEA	TUR	ES		Ratings
				Fro	ntal Crash Te	st Side	Crash Test	Rollover										/	★★★★ = Best ★ = Worst
				/	/ /	/ /				/ /		/ /	/ /	, stem	irrors /		^	TBT	To Be (Crash) Tested
							/			/ (6	ittol		/.š	MSH. / SHI	M Miller Control		itor /	TBR	To Be Rated for Rollover Resistance
				/ ,	Carl .	/ _{zit} /	a istantic	. do .	/5	C Apility C	and .	sine.	Monito	, al Real	Tring 18	St No.	/	∞	Under review
Mak	e nedel	di,	it Pr	Settle Fil	and Octobania	of Octobril Rolls	ndig Heisteller Mark	A REAL AND	Med HES HE	training Statistics	tion Control Bills	Med Drive	Presur Menior	and Sylection of the Sy	AND BURNEY LAND	Paris Cast Heift ?	1	ND	No Data, either because of instrument failure during the test or because the seat would not accommodate the instruments
$\overline{}$		_		\leftarrow	\leftarrow	\leftarrow	\leftarrow	_	<u> </u>	<u> </u>	<u> </u>	<u>/ `</u>	<u> </u>		/ · ·	/	١	w/SAB	The vehicle tested was equipped with a side-impact air bag
Chevrolet	Malibu	TBT	TBT	TBT	TBT	TBR	4-DR	A						S	A			§	High likelihood of pelvic injury
Chevrolet	Monte Carlo	****	****	***	****	****	2-DR	Α		A		A	А	S	A		1	¥	High likelihood of thigh injury
		****	****	****	***	****	4-DR	Α		Α			А	Α				h opp	Higher likelihood of head injury
Chrysler	Concorde	****	****		***		4-DR Limited	S						۸ .				2-DR	2-door model
		^^^^								3			S	A				4-DR	4-door model Hatchback
Chrysler	Crossfire						2-DR w/SAB	S	S	S		S	S	S				HB 4X2	2-wheel drive model
		****	****	***	****	****	2-DR	Α		A			Α					4X4	4-wheel drive model
Chrysler	Sebring	****	****	***	***	****	4-DR	Α		A			Α	Α				ExCab	Extended Cab
	g	***	***	***	****	****	Convertible	A		۸			٨	٨				EV	Electric Vehicle
													Λ .	Λ .		-		a	Door became unlatched
Dodge	Intrepid	****	****	****	***	****	4-DR	A		A			А	A					Cofoty Voy
Dodge	Stratus	****	****	***	****	****	2-DR	Α		A			A						Safety Key
Douge	ou atus	****	****	***	***	****	4-DR	Α		A			A	Α			Standard on all vehi		
Dodge	Viper SRT-10						2-DR	S				S				r	model line but not a	vailable	me or all vehicles in that model line; or standard on some vehicles in that or an option on others; or will be introduced part way through the model
		****	****	***	***	****	2-DR												les in that model line
Ford	Mustang			_{**}	***		Convertible	A		A									dicates Brake Assist
																	or front seat head r		t" column indicates that the restraint voluntarily meets federal standards
Ford	Taurus	****	****	***	***	****	4-DR	A		A						х [Oriver side only		
		****	****			****	4-DR Wagon	Α		A						d [Door mounted side-i	mpact ai	r bag
		****	****	****	****	****	2-DR									M M	Лeets voluntary gui	delines f	or side-impact air bag (SAB) out-of-position (OOP) testing
Honda	Accord	****	****	****	****	****	4-DR	S								r F	Roof rail mounted si	ide-impa	t air bag
							TUN									z	Seat mounted side-i	mpact ai	r bag
																Note: F	For vehicles with ma	ore than	one row of rear seats, features are listed for the first row only.

		V el	hicle			S	Α	F	E	Т	Υ	F	Ε	A	Т	U	R	E	S
N. S.	jude	#	ne leite	A STATE OF THE STA						AINTS AINTS AINTS AINTS			-IMPAC	BAGS TAIR BA		s salled Region	in head Rest	jath	
Chevrolet	Malibu	4-DR	S	S	S	S	S	S				Ar	Ar	М					Safety Key
Chevrolet	Monte Carlo	2-DR	S	S		S	S	S		Az				М				S	Standard on all vehicles in that model line
Chrysler	Concorde	4-DR 4-DR Limited	S S			S S		S S		Az Az				M M				A	Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that
Chrysler	Crossfire	2-DR w/SAB			S	S				Sd									model line
Chrysler	Sebring	2-DR 4-DR Convertible	S S S		S S	S S	S	S S		Az		Ar	Ar					b f x	In "4-Wheel ABS" column indicates Brake Assist In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints Driver side only
Dodge	Intrepid	4-DR	S			S		S		Az				М				d	Door mounted side-impact air bag
Dodge	Stratus	2-DR 4-DR	S S		S	S S		S S		Az		Ar	Ar					M	Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing Roof rail mounted side-impact air bag
Dodge	Viper SRT-10	2-DR				S												Z	Seat mounted side-impact air bag
Ford	Mustang	2-DR Convertible				S												No	ote: For vehicles with more than one row of rear seats, features are listed for the first row only.
Ford	Taurus	4-DR 4-DR Wagon	S S		S S	S S		S	S S	Az Az		Az Az							
Honda	Accord	2-DR 4-DR	S		S	S		S	S	Az		Ar	Ar	М	S				

		١	/ehicle				RATING	S		_		S	AFE	TYI	FEA	TURES Ratings
1/1/1	e met	1st	\$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		ntal Crash Te		Crash Test	Rollover	ne de les	Statill Statill School	in chid	Medine	Presult Herital	of Steel Profit	Market Property Prope	######################################
Honda	Accord V-6						2-DR w/SAB 4-DR w/SAB	S S		S S						§ High likelihood of pelvic injury ¥ High likelihood of thigh injury
Honda	FCX						2-DR	S								h Higher likelihood of head injury 2-DR 2-door model
Hyundai	Sonata	***	****	****	****	****	4-DR	A		A			A			4-DR 4-door model
Hyundai	Tiburon	****	****	****	ND	TBR	4-DR	A		A			A			HB Hatchback
Infiniti	G35						4-DR	S	S	S		S	A			4X2 2-wheel drive model 4X4 4-wheel drive model
Infiniti	G35 Coupe						2-DR	S	S	S		S	S			ExCab Extended Cab
Infiniti	135	***	****	****	****	****	4-DR w/SAB	S	A	S			S			EV Electric Vehicle
Infiniti	M45						4-DR	S	S	S		S	S			a Door became unlatched
Infiniti	Q45						4-DR	S	S	S		S	S			Safety Key
							2-DR	S	S	S			S		A	S Standard on all vehicles in that model line
Jaguar	XK8						Convertible	S	S	S			S		A	A Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model.
							2-DR	S	S	ς			S		A	year as standard on all vehicles in that model line
Jaguar	XKR						Convertible	S	S	ς			S		A	b In "4-Wheel ABS" column indicates Brake Assist f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards
Jaguar	Х-Туре	****	****	****	****	****	4-DR	S	A	A	S		A		A	for front seat head restraints
		TBT	TBT	TBT	TBT	TBR	4-DR									x Driver side only d Door mounted side-impact air bag
Kia	Spectra	TBT	TBT				5-DR Wagon	A		S						M Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
Lexus	ES330	TBT	TBT	TBT	TBT	****	4-DR	S	A	A			S	S		r Roof rail mounted side-impact air bag
Lexus	IS300			****	****	****	4-DR	S	A	S			S	S		z Seat mounted side-impact air bag
Londo							100							Ü		Note: For vehicles with more than one row of rear seats, features are listed for the first row only.

		Vel	nicle			S	Α	F	E	T	Υ	F	Ε	A	T	U	R	E	S
W.	Negat .	hut	A REPORT OF THE PARTY OF THE PA	A STATE OF THE STA	A STATE OF S	_	$\overline{}$			AINTS AINTS AINTS AINTS AINTS AINTS			-IMPAC	BAGS TAIR BA		See Head Received	, head Restrict		
Honda	Accord V-6	2-DR w/SAB		ĺ	S	S		S	S	Sz		Ar	Ar	М	S				Safety Key
Honua	Accord V-0	4-DR w/SAB	S		S	S		S	S	Sz		Ar	Ar	М	S			S	Standard on all vehicles in that model line
Honda	FCX	2-DR			S	S									S			A	Available as an option on some or all vehicles in that model line; or standard on
Hyundai	Sonata	4-DR	S		S	S				Sz		Sz		М	S				some vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that
Hyundai	Tiburon	4-DR	S		S	S		S		Sz		Sz		М					model line
Infiniti	G35	4-DR	S		S	S		S		Sz		Sr	Sr	М	S	S		b	In "4-Wheel ABS" column indicates Brake Assist
Infiniti	G35 Coupe	2-DR			S	S				Sz		Sr	Sr	М		S		t	In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints
Infiniti	135	4-DR w/SAB	S		S	S		S		Sz		Sz			S	S		Х	Driver side only
Infiniti	M45	4-DR	S		S	S		S		Sz		Sr	Sr	М	S	S		d	Door mounted side-impact air bag
Infiniti	Q45	4-DR	S		S	S		S		Sz		Sr	Sr	М	S	S		М	Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
lamina	VVO	2-DR	S		S	S				Sz		Sz						ſ	Roof rail mounted side-impact air bag
Jaguar	XK8	Convertible			S	S				Sz		Sz						Z	Seat mounted side-impact air bag
	VIID	2-DR	S		S	S				Sz		Sz						No	te: For vehicles with more than one row of rear seats, features are listed for the first
Jaguar	XKR	Convertible			S	S				Sz		Sz							row only.
Jaguar	Х-Туре	4-DR	S		S	S		S	A	Sz		Sr	Sr	М	S				
Kia	Spectra	4-DR 5-DR Wagon	S		S	S	S	S		Sz		Sr	Sr	М		А			
Lexus	ES330	4-DR	S		S	S		S	S	Sz		Sr	Sr	М	S	S			
Lexus	IS300	4-DR	S		S	S		S		Sz		Sr	Sr	М	S	S			

		١	/ehicle	_			RATING					S	AFE	TΥΙ	FEA	TURES
				Fro	ntal Crash Te	st Side	Crash Test	Rollover							/	**** = Best
				/							/		E Presure Indirect	A CHIRD SPECTION OF THE PROPERTY OF THE PROPER	Mirrors	TBT To Be (Crash) Tested TBR To Be Rated for Rollover Resistance Under review ND No Data, either because of instrument failure during the test or because the seat would not accommodate the instruments W/SAB. The whiche tested was engineed with a additionant air han
							/ ns .			WC4	ALTO /		rille	ing Sear	eth aligi	TBR To Be Rated for Rollover Resistance
				/	THRIT	TROTT /	Reistan	(Age)	185	ir Stability	Caritol	of Drive	THE MILE	in thing has	Running	on Under review ND No Data, either because of instrument failure during the test or because
Make	Inde	Dir.	\$ \st	series (1	and Octobali	A CHILDREN PORCE	de Bestelle	A TERED N	inted HES the	starik Stality Co	stien Control Mi	Mred Drive	Shos I	NO DIE	A STREET BUTTER STATE	the seat would not accommodate the instruments
		Ž	<u> </u>	<u> </u>	<u>/ `</u>	<u> </u>		\leftarrow	_		<u> </u>					W/ Shb The verillale tested was equipped with a side-impact all bay
Lexus	SC430						Convertible	S	S	S		S	S	S		§ High likelihood of pelvic injury
Mazda	RX-8	TBT	TBT	TBT	TBT	TBR	4-DR	S	Α	A		S	Α			¥ High likelihood of thigh injury h Higher likelihood of head injury
Mazda	6	****	****	***	****	****	4-DR	А		A			A			2-DR 2-door model
							2-DR	Sb	S	S			S	S	S	4DR 4door model
Mercedes Benz	C-Class	****	****	****	****	****	4-DR	Sb	S	ς			S	ς	S	HB Hatchback
Mercedes Benz	C Class AMATIC						4-DR	Sb	S	ς	S		S	S	S	4X2 2-wheel drive model
										3			•	3		4X4 4-wheel drive model
	C-Class Wagon						4-DR	Sb	S	S	S		S	5	S	ExCab Extended Cab
Mercedes Benz	CL-Class						2-DR	Sb	S	S		A	S	S	S	EV Electric Vehicle
Mercedes Benz	CLK-Class						2-DR	Sb	S	S			S	S	S	a Door became unlatched
Mercedes Beriz	CEV-CIGSS						Convertible	Sb	S	S			S	S	S	Safety Key
		****	****	***	***	****	4-DR									S Standard on all vehicles in that model line
Mercury	Sable	****	****			****	4-DR Wagon	A		A						A Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model
APR 1111	0.1.1			TDT	TDT		,							0		year as standard on all vehicles in that model line
Mitsubishi	Galant	****	****	TBT	TBT	TBR	4-DR	A		A				S		b In "4-Wheel ABS" column indicates Brake Assist
Nissan	Altima	****	****	***	****	****	4-DR	A	A	A			A			f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints
Nissan	Maxima	****	****	****	****	TBR	4-DR	S	A				S			x Driver side only
Nissan	350Z			****	ND	****	2-DR	S	A	S		A	A			d Door mounted side-impact air bag
Nissan	350Z Roadster						Convertible	S		S			S			M Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
		****	****	*	****	****	2-DR									r Roof rail mounted side-impact air bag
Oldsmobile	Alero	****	****	***	***	****	4-DR	A		A				S		z Seat mounted side-impact air bag
		^^^	****		1 ^^^	_^^^^	4-UK									Note: For vehicles with more than one row of rear seats, features are listed for the first row only.

		Vel	nicle			S	A	F	E	T	Υ	F	Ε	A	T	U	R	2	E	S
13%	ne ^{go}	_k i	A TERES N	intight life	A SERVICE STATE OF THE SERVICE	_				A I N T S A I N T S A I N T S A I N T S A I N T S		$\overline{}$	-IMPAC	BAGS TAIR BA		Sed Head P	Strain Real Real Real Real Real Real Real Real	Restain	/	
Lexus	SC430	Convertible			S	S				Sz				M	S	5				Safety Key
Mazda	RX-8	4-DR			S	S				Sz		Sr	Sr						S	Standard on all vehicles in that model line
Mazda	6	4-DR	S		S	S		S		Az		Ar	Ar						Α	Available as an option on some or all vehicles in that model line; or standard on
Mercedes Benz	C-Class	2-DR	S	S	S	S				Sd	Sd	Sr	Sr							some vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that
		4-DR	S	S	S	S		S		Sd	Sd	Sr	Sr							model line In "4-Wheel ABS" column indicates Brake Assist
	C-Class-4MATIC	4-DR	S	S	S	S				Sd	Sd	Sr	Sr							In "Rear Seat Head Restraint" column indicates that the restraint voluntarily
Mercedes Benz	C-Class Wagon	4-DR	S	S	S	S				Sd	Sd	Sr	Sr							meets federal standards for front seat head restraints
Mercedes Benz	CL-Class	2-DR	S	S	S	S	S			Sd	Sd	Sr	Sr							Driver side only
Mercedes Benz	CI K-Class	2-DR			S					S	S	Sr	Sr							Door mounted side-impact air bag
INICICCUES DELIZ	OLIV-01033	Convertible			S		S			Sd	Sd	Sz							М	Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
Mercury	Sable	4-DR	S		S	S			S	Az		Az							r	Roof rail mounted side-impact air bag
wici cui y	Janic	4-DR Wagon				3			J	nz.		IL							Z	Seat mounted side-impact air bag
Mitsubishi	Galant	4-DR	S		S	S		S	S	Az				M					Note.	: For vehicles with more than one row of rear seats, features are listed for the first
Nissan	Altima	4-DR	S		S	S		S		Az		Ar	Ar	M						row only.
Nissan	Maxima	4-DR	S		S	S		S		Sz		Sr	Sr	M	S	5				
Nissan	350Z	2-DR			S	S				Az		Ar		M						
Nissan	350Z Roadster	Convertible			S	S				Az				M						
Oldsmobile	Alero	2-DR	S	S		S	S													
		4-DR																		

		1	/ehicle			ſ	RATING	SS		/		S	AFE	TY I	FEA	TURES
jiř	se pete	4	\leftarrow		\leftarrow	A GELEGIT ROBE		Rollover	Med Med 148	Janik Sahilly Co	iter Centrel Military	Med Drife 116	P. Pressde Mandei	nd Selection of the Control of the C	A HER BUREL BANGE	TBT To Be (Crash) Tested
Pontiac	Grand Am	****	****	***	***	****	2-DR 4-DR	A		A				S		§ High likelihood of pelvic injury ¥ High likelihood of thigh injury
Pontiac	Grand Prix	***	****	***	***		4-DR	A	A	A		A	A	S	A	h Higher likelihood of head injury 2-DR 2-door model
Pontiac	GTO GTO						2-DR	S		S				S		4-DR 4-door model
Porsche	Boxster/Boxter S						Convertible	S	A	A			A			HB Hatchback
Porsche	911 Carrera						2-DR	S	А	A			А			4X2 2-wheel drive model 4X4 4-wheel drive model
Porsche	911 Carrera Cabriolet						Convertible	S	A	A			A			ExCab Extended Cab
Porsche	911 Targa						2-DR	S	A	A			A			EV Electric Vehicle
Porsche	911 GT3						2-DR	S								a Door became unlatched
Porsche	911 Turbo						2-DR	S	S	S	S		A			Safety Key
Porsche	911 Turbo Cabriolet						Convertible	S	S	S	S		A			S Standard on all vehicles in that model line
Porsche	GT2						2-DR	S					<u> </u>			 A Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model
Porsche	Carrera GT						Convertible	S		S		S				year as standard on all vehicles in that model line
							4-DR	S	S	S		A	A	S	A	b In "4-Wheel ABS" column indicates Brake Assist f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards
Saab	9-3						Convertible	S	S	S		A	A	S	A	for front seat head restraints
		****	****	***	****	****	4-DR	ŭ								x Driver side only
Subaru	Legacy	****	****	****	****	****	4-DR Wagon	S	A	S	S		A	S	A	d Door mounted side-impact air bag M Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
Subaru	Forrester	****	****	****	****	***	4-DR 4x4	S		S	S		A	S		r Roof rail mounted side-impact air bag
Suzuki	Verona					TBR	4-DR	A		A			A	S		z Seat mounted side-impact air bag
																Note: For vehicles with more than one row of rear seats, features are listed for the first row only.

		Vel	hicle			S	Α	F	E	T	Υ	F	Ε	A	T	U	R	E	S
No.	e neet	,nd	A TOPE A	interest of the state of the st	A STATE OF THE PARTY OF THE PAR	_	/ /			A I N I S A I N I S A I N I S Checkle of the second of			- IMPAC	BAGS TAIR BA		es pri	and the state of t	gain	
Pontiac	Grand Am	2-DR 4-DR	A		А				S		S	S		S	S			S	Safety Key Standard on all vehicles in that model line
Pontiac	Grand Prix	4-DR	S		S	S	S	S				Ar	Ar	M				A	A Available as an option on some or all vehicles in that model line; or standard or
Pontiac	GTO	2-DR	S	l	S	S	S												some vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in the
Porsche	Boxster/Boxter S	Convertible			S	S				S		S			S				model line
Porsche	911 Carrera	2-DR	S		S	S				S		S			S			b	
Porsche	911 Carrera Cabriolet	Convertible			S	S				S		S			S			Ī	In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints
Porsche	911 Targa	2-DR	S		S	S				S		S			S			Х	Driver side only
Porsche	911 GT3	2-DR	S		S	S				S		S			S			d	500 mountain sub-impair air bag
Porsche	911 Turbo	2-DR	S		S	S				S		S			S			M	M Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
Porsche	911 Turbo Cabriolet	Convertible			S	S				S		S			S			r	Roof rail mounted side-impact air bag
Porsche	GT2	2-DR	S		S	S				S		S			S			Z	Seat mounted side-impact air bag
Porsche	Carrera GT	Convertible			S	S				S		S			S			M	Note: For vehicles with more than one row of rear seats, features are listed for the fire
Saab	9-3	4-DR	S		S	S		S		Sz		Sr	Sr	М	S	S			row only.
		Convertible			S	S	S			Sz		Sz		М	S	S			
Subaru	Legacy	4-DR 4-DR Wagon	S		S	S		S		Az				М	S				
Subaru	Forrester	4-DR 4x4	S	S	S	S		S		Sz		Sz		М	S	S			
Suzuki	Verona	4-DR	S		S	S		S							S				

		١	/ehicle			ſ	RATING	SS				S	AFE	TY I	FEAT	TURES
				Fro	ontal Crash Te	st Side	Crash Test	Rollover								**** = Best
				/	/ /	/ /				/ /	/ /	/ /	/ /	den /	irrigis /	TBT To Be (Crash) Tested
										6	ital			N SAST	Willi.	S INCREMENT IN TO BE Rated for Rollover Resistance
				/	/ sit	/ 📠 /	-istante	<i>d</i>	/ 5	Hillity	,rd	-iu [®]	Monito	Rediv	ning life	ost water ∞ Under review
Make	node!	OH.	ip / Sig	SERIE LI	and Octoband Re	A OCCUPANT ROBE	Net Rejetatie	A TERED L	Med HES the	J. J. Grander Stability Col.	tion Control Mi	Med Dive	Presure Mentel	and Syleting Regular	A REPORT OF THE PARTY OF THE PA	IBI lo Be (Urash) Jested TBR To Be Rated for Rollover Resistance Under review ND No Data, either because of instrument failure during the test or because the seat would not accommodate the instruments W/SAB The vehicle tested was equipped with a side-impact air bag
		_		\leftarrow	\leftarrow	\leftarrow			<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>	
Toyota	Avalon	****	****	****	****	****	4-DR w/SAB	S	A	A			A	S		§ High likelihood of pelvic injury
Toyota	Camry	TBT	TBT	TBT	TBT	****	4-DR	А	Α	A			A	S		¥ High likelihood of thigh injury h Higher likelihood of head injury
Tavada	Comm. Colore						2-DR	S	А	A		S	A	S		2-DR 2-door model
Toyota	Camry Solara	****	****	∞	∞		Convertible	S	Α	A		S	A	S		4-DR 4-door model
		****	****	****	****	****	4-DR w/SAB	S	S	S	A		A	S	A	HB Hatchback
Volkswagen	Passat	****	****	****	****		Wagon w/SAB	S	S	ς	Δ		Δ	ς	Δ	4X2 2-wheel drive model
Volvo	C70						Convertible	S	۸	C	- 1		Λ	c	A	4X4 4wheel drive model
									A	3			А	3		ExCab Extended Cab EV Electric Vehicle
Volvo	\$40						4-DR	S	ļ.,,					S		a Door became unlatched
Volvo	\$60	****	****	****	****	****	4-DR	S	A	S	A		A	S	A	
Volvo	V40						4-DR Wagon	S						S		Safety Key
Volvo	V70						4-DR Wagon	S	A	S	A		A	S	A	S Standard on all vehicles in that model line A Available as an option on some or all vehicles in that model line; or standard on some vehicles in that
Volvo	XC70					TBR	4-DR Wagon	S	А	S	S		A	S	А	model line but not available or an option on others; or will be introduced part way through the model
2004 He	avy Passenger Ca	ars (35	00 lbs.	and ov	er curb	weight)										year as standard on all vehicles in that model line b In "4-Wheel ABS" column indicates Brake Assist
Acura	3.2TL	****	****	TBT	TBT	TBR	4-DR w/SAB	S	S	S			S			f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards
Acura	3.5RL	****	****	TBT	TBT	****	4-DR w/SAB	S	S	ς			S		S	for front seat head restraints
Audi	A8L			IDI	101		4-DR w/SAB	S	S	c	S	S	S	Λ	۸	x Driver side only
- 11							4-DIV MV 2ND	S	S	3	3	3		N.	N .	d Door mounted side-impact air bag M Meets voluntary quidelines for side-impact air bag (SAB) out-of-position (OOP) testing
Bentley	Arnage R								L ·	2			S			r Roof rail mounted side-impact air bag
Bentley	Arnage RL							S	S	S			S			z Seat mounted side-impact air bag
Bentley	Arnage T							S	S	S			S			Note: For vehicles with more than one row of rear seats, features are listed for the first row only.

		V el	hicle			S	Α	F	E	Т	Υ	F	Ε	A	Т	U	R	E	S
ling of	. High	_{lit} it	A TESTED AND THE PERSON NAMED IN COLUMN TO P	Maddle lifte	White St.	_	/ /			A I N I S A I N I S A I N I S A I N I S A I N I S A I N I S A I N I S			-IMPAC	BAGS TAIR BA		es legili	. Head Restrain	/	
Toyota	Avalon	4-DR w/SAB	S		S	S		S		Sz				М	S	S			Safety Key
Toyota	Camry	4-DR	S		S	S		S	S	Az		Ar	Ar	М	S	S		S	Standard on all vehicles in that model line
Toyota	Camry Solara	2-DR Convertible			S S	S S		S		Sz Sz		Ar	Ar	M M	S S	S S		A	Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will
Volkswagen	Passat	4-DR w/SAB	S		S	S		S		Sz		Sr	Sr	M	S	3		b	be introduced part way through the model year as standard on all vehicles in that model line In "4-Wheel ABS" column indicates Brake Assist
	070	Wagon w/SAB	S		S	S		S		Sz		St	Sr	M	S	0	_	f	In "Rear Seat Head Restraint" column indicates that the restraint voluntarily
Volvo	C70	Convertible		-	S	S				Sz		Sz	C-		S	S	-		meets federal standards for front seat head restraints
Volvo	S40	4-DR	S		S	S		S		Sz		Sr	Sr C-		S	S	_	Λ	Driver side only Door mounted side-impact air bag
Volvo Volvo	S60 V40	4-DR 4-DR Wagon	S		S	S		S		Sz Sz		St St	Sr Sr		S	S		М	Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP)
Volvo	V70	4-DR Wagon	S		S	S		S		Sz		Sr	Sr		S	S	-		testing Roof rail mounted side-impact air baq
Volvo	XC70	4-DR Wagon	S		S	S		S		S7		Sr	Sr		S	S	-	I Z	Seat mounted side-impact air bag
2004 He	avy Passenger Ca	Ü		nd ov	er curb	weiah	t)											Note	: For vehicles with more than one row of rear seats, features are listed for the first
Acura	3.2TL	4-DR w/SAB	S		S	S	7	S		Sz		Sr	Sr	М	S				row only.
Acura	3.5RL	4-DR w/SAB	S		S	S		S		Sz					S				
Audi	A8L	4-DR w/SAB	S		S	S		S		Sz	Sz	Sr	Sr	M	S	S			
Bentley	Arnage R		S		S			S		Sz	Sz	Sr	Sr		Sf				
Bentley	Arnage RL		S		S					Sz	Sz				Sf				
Bentley	Arnage T		S		S			S		Sz	Sz	Sr	Sr		Sf				

		١	/ehicle			F	RATING	is		_		S	AFE	TY I	FEAT	TURES
				Fro	ontal Crash Tes	st Side	Crash Test	Rollover								**** = Best * = Worst
				/	/ /	/ /				/	/	/	/ /	CASTELL	MITOS	TBT To Be (Crash) Tested
4							/ _{ng}			ii Ch	MO		idi	MI STIF	Whi. light	TBR To Be Rated for Rollover Resistance
			/	/ , /	THORT!	TARIT!	Resistation	, sted	, NE /	Stability	control	Dive	THE WOLK	ringRed	Outring !	o Under review ND No Data, either because of instrument failure during the test or because
Max	ke India	di	1gt / 28	strigt (1	and Octoball Res	A OLUBANI ROBO	ndig Heisteller Mark	A RESERVED IN	Med HES HE	stroit Stality Co	tion Control Alli	Med Dive	Presur Marion	nd Spletti Splitting Reading	A MILL RATER LIGHT	TBT To Be (Crash) Tested TBR To Be Rated for Rollover Resistance Under review ND No Data, either because of instrument failure during the test or because the seat would not accommodate the instruments W/SAB The vehicle tested was equipped with a side-impact air bag
$\overline{}$		<u> </u>	/ `	$\overline{}$	/ `	<u> </u>	<u> </u>		_	/ 				\ \qua	/ PE	
Bentley	Continental T							S	S	S	S	S	S			§ High likelihood of pelvic injury
BMW	525i						4-DR w/SAB	S	S	S		S	A	S	A	¥ High likellhood of thigh injury h Higher likelihood of head injury
BMW	530i						4-DR w/SAB	S	S	S		S	A	S	А	2-DR 2-door model
BMW	545i						4-DR w/SAB	S	S	S		S	S	S	А	4-DR 4-door model
BMW	645i						4-DR w/SAB	S	S	S		S	А	S	A	HB Hatchback
BMW	645Ci						Conv. w/SAB	S	S	S		S	S	S	A	4X2 2-wheel drive model
BMW	745i						4-DR w/SAB	S	S	S		S	S	ç	S	4X4 4-wheel drive model ExCab Extended Cab
BMW	745Li						4-DR w/SAB	S	S	c		S	S		S	Excau Extended cad FV Flectric Vehicle
									l ,	5		_	<u> </u>	3		a Door became unlatched
BMW	760Li			.			4-DR w/SAB	S	S	2		S	S	S	S	Safety Key
Buick	LeSabre	****	****	****	****	****	4-DR w/SAB	S	A	A		A	A	S	A	S Standard on all vehicles in that model line
Buick	Park Avenue	****	****	****	****	****	4-DR w/SAB	S	A	A		A	A	S	A	Saludard on all verifices in that model line; or standard on some vehicles in that A Available as an option on some or all vehicles in that model line; or standard on some vehicles in that
Cadillac	CTS	****	****	****	****	****	4-DR w/SAB	S	A	S		A	S	S	S	model line but not available or an option on others; or will be introduced part way through the model
Cadillac	De Ville	****	****	****	****	****	4-DR w/SAB	S	A	S		S	A	S	S	year as standard on all vehicles in that model line b In "4-Wheel ABS" column indicates Brake Assist
Cadillac	Seville						4-DR w/SAB	S	S	S		A	S	S	S	f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards
Chrysler	300M	****	****	****	***	****	4-DR	S		S		A	S	А		for front seat head restraints
Ford	Crown Victoria	****	****	****	****	****	4-DR	S		A			A			x Driver side only d Door mounted side-impact air bag
Ford	Thunderbird	****	****	****	ND		2-DR Conv.	S		S						M Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
Hyundai	XG 350	TBT	TBT	****	****	TBR	4-DR	S		Δ			Δ			r Roof rail mounted side impact air bag
,		וטו	וטו	****	****	****		-	C	C			Λ.		Λ	z Seat mounted side-impact air bag
Jaguar	S-Туре				^^^^	*****	4-DR	S	S	2			A		A	Note: For vehicles with more than one row of rear seats, features are listed for the first row only.

		Vel	hicle			S	Α	F	E	Т	Υ	F	Ε	A	Т	U	R	E	S
11/4	se pred	in the second	the letter of	in the state of th	A LOT	_				AINTS AINTS AINTS			-IMPAC	BAGS TAIR BA	165 Bouta Position	ntests headen	Stain Real Real Real Real Real Real Real Real	junt	
Bentley	Continental T				S	S	S			Sz		Sr	Sr		Sf				Safety Key
BMW	525i	4-DR w/SAB			S	S		S	S	Sd	Ad	Sr	Ar	М	S	A		S	Standard on all vehicles in that model line
BMW	530i	4-DR w/SAB			S	S		S	S	Sd	Ad	Sr	Ar	М	S	A		Α	Available as an option on some or all vehicles in that model line; or standard on
BMW	545i	4-DR w/SAB			S	S		S	S	Sd	Ad	Sr	Ar	М	S	A			some vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in tha
BMW	645i	4-DR w/SAB			S	S				Sd		Sr			S				model line
BMW	645Ci	Conv. w/SAB			S	S				Sd					S			b	In "4-Wheel ABS" column indicates Brake Assist
BMW	745i	4-DR w/SAB			S	S		S		Sd	Ad	Sr	Sr		S	A		ţ	In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints
BMW	745Li	4-DR w/SAB			S	S		S		Sd	Ad	Sr	Sr		S	А		Х	Driver side only
BMW	760Li	4-DR w/SAB			S	S		S		Sd	Ad	Sr	Sr		S	A		d	Door mounted side-impact air bag
Buick	LeSabre	4-DR w/SAB		S			S	S		Az						S		M	Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
Buick	Park Avenue	4-DR w/SAB		S			S			Sz								r	Roof rail mounted side-impact air bag
Cadillac	CTS	4-DR w/SAB		S	S	S	S	S		Sz		Sr	Sr	М				Z	Seat mounted side-impact air bag
Cadillac	De Ville	4-DR w/SAB		S			S	S		Sz	Az							Note	: For vehicles with more than one row of rear seats, features are listed for the first
Cadillac	Seville	4-DR w/SAB		S			S	S		Sz				М					row only.
Chrysler	300M	4-DR	S	1		S		S		Az		Az		М					
Ford	Crown Victoria	4-DR	S		S	S		S		Az		Ar		М					
Ford	Thunderbird	2-DR Conv.			S	S				Sz		Az							
Hyundai	XG 350	4-DR	S		S	S		S		Sz		Sz		М	S				
Jaguar	S-Type	4-DR	S	1	S	S		S		Sz		Sr	Sr		S	S			
J	Л																		

		١	/ehicle			I	RATING	iS		_		S	AFE	TY I	FEA	TURES
				Fro	ontal Crash Tes	st Side	Crash Test	Rollover								**** = Best
					/ /	/ /				/	\ \ /		Presur Marion	nd Syleti Stiming Regula	MITOIS	TBT To Be (Crash) Tested
										, Log	itto		idi	My Carrie	MIN LIGHTS	TBR To Be Rated for Rollover Resistance
				/ ds /	OCTHODIL!	THOUTH /	(Reista)	segled /	INF /	ir Statiffe's	Carlifol	a Dive	THE MOI	oring Real	RUTTING	Under review ND No Data, either because of instrument failure during the test or because
Make	medel	Di	ing b	Serie Fi	and Octoball Res	A OCCUPANT ROBE	nd Reidelfe Indi	Tested Li	ined lass the	itorie Stality Co	iter Central Alli	Med Dive	Edis Line	adin.	A PARTIE LIGHT	TBT To Be (Crash) Tested TBR To Be Rated for Rollover Resistance Under review ND No Data, either because of instrument failure during the test or because the seat would not accommodate the instruments W/SAB The vehicle tested was equipped with a side-impact air ban
_	VI 0 1							$\overline{}$			<u> </u>	<u> </u>		<u> </u>	/ *	1.17
Jaguar	XJ Series						4-DR	S	S	S			S		A	§ High likelihood of pelvic injury ¥ High likelihood of thigh injury
Kia	Amanti						4-DR w/SAB	S	A							h Higher likelihood of head injury
Lexus	GS300/430						4-DR	S	S	S			S	S		2-DR 2-door model
Lexus	IS300 Sportcross						Wagon	S	A	S			S	S		4-DR 4-door model
Lexus	LS430						4-DR	S	S	S		S	S	S		HB Hatchback
Lincoln	LS	TBT	TBT	****	****	****	4-DR	S	Α	S			A			4X2 2-wheel drive model
Lincoln	Town Car	****	****	****	****	****	4-DR	S		2			S			4X4 4-wheel drive model ExCab Extended Cab
Mercedes Benz		****	****	*****	****	****	4-DR	Sb	S			A	S	c	S	FV Flectric Vehicle
									_	3	r	Α	_	3	Ů	a Door became unlatched
	E-Class-4MATIC						4-DR	Sb	S	S	S	А	S	S	S	Safety Key
Mercedes Benz	E-Class						Wagon	Sb	S	S		A	S	S	S	, , ,
Mercedes Benz	E-Class -4MATIC						Wagon	Sb	S	S	S	A	S	S	S	S Standard on all vehicles in that model line A Available as an option on some or all vehicles in that model line; or standard on some vehicles in that
Mercedes Benz	Maybach 57/62						4-DR	Sb	S	S		S	S	S	S	model line but not available or an option on others; or will be introduced part way through the model
Mercedes Benz	S-Class						4-DR	Sb	S	S		S	S	S	S	year as standard on all vehicles in that model line b In "4-Wheel ABS" column indicates Brake Assist
Mercedes Benz	S-Class-4MATIC						4-DR	S	S	S	S	S	S	S	S	f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards
Mercedes Benz	SL-Class						Conv. w/SAB	Sb	S	S		A	S	S	S	for front seat head restraints
Mercury	Grand Marguis	****	****	****	****	****	4-DR	S		A			A			x Driver side only d Door mounted side-impact air bag
Mercury	Marauder	****	****	****			4-DR w/SAB	S		A			A			M Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
Mitsubishi	Diamante						4-DR	S		A						r Roof rail mounted side-impact air bag
Pontiac	Bonneville	****	****	****	****	****	4-DR	S	Δ	Δ		S	Δ	S	Δ	z Seat mounted side-impact air bag
TOHUAL	Donneville			I	1	l	אטיף	3	Λ.	Λ.		3	Λ.	J	Т	Note: For vehicles with more than one row of rear seats, features are listed for the first row only.

		Vel	hicle			S	Α	F	E	T	Υ	F	Ε	A	T	U	R	E	S
No. of the Control of	June 1	ju ^c	A SEE A	in the state of th	A SERVICE OF THE PERSON OF THE					A I N I S A I N I S A I N I S A I N I S Ches I		$\overline{}$	-IMPAC	BAGS TAIR BA		es son local de la company	. Head Restrict	/	
Jaguar	XJ Series	4-DR	S		S	S		S	A	Sz		Sr	Sr	М	S	S			Safety Key
Kia	Amanti	4-DR w/SAB	S		S	S	S	S		Sz	Sz	Sr	Sr	М		S		S	Standard on all vehicles in that model line
Lexus	GS300/430	4-DR	S		S	S		S		Sz		Sr		М	S			Α	Available as an option on some or all vehicles in that model line; or standard on
Lexus	IS300 Sportcross	Wagon	S		S	S		S		Sz		Sr		М	S	S			some vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that
Lexus	LS430	4-DR	S		S	S		S		Sz		Sr	Sr	М	S	S			model line
Lincoln	LS	4-DR	S		S	S		S		Sz	Az	Sz, Ar	Ar		S			b	In "4-Wheel ABS" column indicates Brake Assist
Lincoln	Town Car	4-DR	S		S	S		S		Sz		Sz		M				Ī	In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints
Mercedes Benz	E-Class	4-DR	S	S	S	S		S		Sz	Sd	Sr	Sr				1	Х	Driver side only
Mercedes Benz	E-Class-4MATIC	4-DR	S	S	S	S		S		Sz	Sd	Sr	Sr					d	Door mounted side-impact air bag
Mercedes Benz	E-Class	Wagon	S	S	S	S		S		Sz	Sd	Sr	Sr					M	Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
Mercedes Benz	E-Class -4MATIC	Wagon	S	S	S	S		S		Sz	Sd	Sr	Sr					r	Roof rail mounted side-impact air bag
Mercedes Benz	Maybach 57/62	4-DR	S	S			S			Sd	Sd	Sr	Sr					Z	Seat mounted side-impact air bag
Mercedes Benz	S-Class	4-DR	S	S	S	S		S		Sd	Sd	Sr	Sr			S	1	Note	e: For vehicles with more than one row of rear seats, features are listed for the first
Mercedes Benz	S-Class-4MATIC	4-DR	S	S	S	S		S		Sd	Sd	Sr	Sr			S	1		row only.
Mercedes Benz	SL-Class	Conv. w/SAB	S				S			Sd	Sd	Sr	Sr						
Mercury	Grand Marquis	4-DR	S		S	S		S		Az		Az		M					
Mercury	Marauder	4-DR w/SAB	S		S	S		S		Az		Az		М					
Mitsubishi	Diamante	4-DR	S		S	S		S							А				
Pontiac	Bonneville	4-DR		S			S	S		Az						S			
				1													1		

		١	/ehicle				RATING	iS		_		S	AFE	TY I	FEAT	TURES
				Fro	ntal Crash Te	st Side	Crash Test	Rollover								**** = Best
					/ /	/ /				/ /	/ /	/ /	/ /	ARTI /	inds /	TBT To Be (Crash) Tested
										6	atrol /			igi \ 1882 [19]	Will.	TBR To Be Rated for Rollover Resistance
				/	- arti	/ _{sit} /	islance	-à .	/	Tability C.	lon	3 ₁₁₁	Monitor	at Really.	ring life	om under review
Make	<i>Model</i>	Qi,	\$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	strigt (ti	nd October 25	of October Rolls	Net Rejetatie	A RESERVED LA	Med HES TH	John Stally Co	citor Control Mil	integ Drive	Presur hondi	ind Syleti Find Syleting Regular	A REPORT OF THE PARTY OF THE PA	BBT O Be (Crash) lested
		Z		<u> </u>				<u>/ </u>	<u> </u>	<u> </u>	<u>/ *</u>	/ ·	, Re	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	, Riv	w/SAB The vehicle tested was equipped with a side-impact air bag
Porsche	911 Carrera 4S						2-DR	S	S	S	S		A			§ High likelihood of pelvic injury
Porsche	911 Carrera 4 Cabriolet						Convertible	S	S	S	S		A			¥ High likelihood of thigh injury
Porsche	911 Carrera 4S Cabriolet						Convertible	S	S	S	S		А			h Higher likelihood of head injury 2-DR 2-door model
Rolls-Royce	Phantom						4-DR	S	S	ς		S	S		ς	4DR 4door model
nons nojec	Hantom	****	****	*****	****	****	4-DR	S	S	ς		l	٨	S	۸	HB Hatchback
Saab	9-5			^^^^	^^^				3	3			, A	3	, A	4X2 2-wheel drive model
		****	****				Wagon	S	5	5			А	2	А	4X4 4-wheel drive model
Volkswagen	Phaeton-4 Passenger						4-Dr w/SAB	S	S	S	S	S	S	S	S	ExCab Extended Cab
Volkswagen	Phaeton-5 Passenger						4-Dr w/SAB	S	S	S	S	S	S	S	S	EV Electric Vehicle
Volvo	\$80	****	****	****	****	****	4-DR w/SAB	S	А	S	A		А	S	A	a Door became unlatched
2004 Sp	ort Utility Vehicle	S														Safety Key
Acura	MDX	****	****	****	****		4-DR 4x4 w/SAB	S	S	S	S	S	S			S Standard on all vehicles in that model line
Audi	allroad						SUV w/SAB	S	S	S	S	A	A		A	 A Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model
BMW	X3 Series						5-DR 4x4 w/SAB	S	S	S	S	S	A	S	A	year as standard on all vehicles in that model line
BMW	X5 Series	****	****	****	****		5-DR 4x4 w/SAB	S	S	ς	S		Δ	S	Δ	b In "4-Wheel ABS" column indicates Brake Assist f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards
DIVIT	7.0 001103					***		S		, ,	,				S	for front seat head restraints
Buick	Rainier						4-DR 4x2 w/SAB	Ů		A			A	3	·	x Driver side only
		***	***	****	****	****	4-DR 4x4 w/SAB	S			S		A	S	S	d Door mounted side-impact air bag
Buick	Rendezvous	***	***	****\$a	****		SUV	A		A	A	A	A	S	А	M Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
Cadillac	Escalade						4-DR 4x2 w/SAB	S		S		S	S	S	S	r Roof rail mounted side-impact air bag
Cadillac	Estalage	****	****			TBR	4-DR 4x4 w/SAB	S	S	S	S	S	S	S	S	z Seat mounted side-impact air bag
																Note: For vehicles with more than one row of rear seats, features are listed for the first row only.

		Vel	hicle			S	Α	F	E	Т	Υ	F	Ε	A	T	U	R	2	Ε	S
11/10	liked	, mei	A STATE A	interest of the control of the contr			7	_		A I N T S A I N T S A I N T S A I N T S A I N T S			-IMPAC	BAGS TAIR BA	/	est lead Re	Stark Health	ARRESTATION	/	
Porsche	911 Carrera 4S	2-DR	S		S	S				S		S			S					Safety Key
Porsche	911 Carrera 4 Cabriolet	Convertible			S	S				S		S			S				S	Standard on all vehicles in that model line
Porsche	911 Carrera 4S Cabriolet	Convertible			S	S				S		S			S					Available as an option on some or all vehicles in that model line; or standard on
Rolls-Royce	Phantom	4-DR			S	S		S		Sd		Sr	Sr		S	S				some vehicles in that model line but not available or an option on others; or wil be introduced part way through the model year as standard on all vehicles in th
Saab	9-5	4-DR	S	S	S	S		S		Sz		Sz			S	S				model line
Jaan	9-0	Wagon	S		S	S		S		Sz		Sz			S	S				In "4-Wheel ABS" column indicates Brake Assist
Volkswagen	Phaeton-4 Passenger	4-Dr w/SAB	S		S	S				Sz	Sz	Sr	Sr	M	S	S				In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints
Volkswagen	Phaeton-5 Passenger	4-Dr w/SAB	S	1	S	S		S		Sz	Sz	Sr	Sr	М	S	S			Х	Driver side only
Volvo	\$80	4-DR w/SAB	S		S	S		S		Sz		Sr	Sr		S	S				Door mounted side-impact air bag
2004 Sp	ort Utility Vehicle	S																		Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
Acura	MDX	4-DR 4x4 w/SAB	S		S	S		S	S	Sz		Sr		М	S					Roof rail mounted side-impact air bag
Audi	allroad	SUV w/SAB	S		S	S		S		Sz	Az	Sr	Sr	M	S				Z	Seat mounted side-impact air bag
BMW	X3 Series	5-DR 4x4 w/SAB			S	S		S	S	Sd	Ad	Sr	Sr	M	S					For vehicles with more than one row of rear seats, features are listed for the first
BMW	X5 Series	5-DR 4x4 w/SAB	S		S	S		S		Sd	Ad	Sr	Ar		S					row only.
D. M.	Detetor	4-DR 4x2 w/SAB		S		S	S	S		Az				M	S					
Buick	Rainier	4-DR 4x4 w/SAB		S		S	S	S		Az				М	S					
Buick	Rendezvous	SUV	S	S	S	S	S	S		Az				M	S					
0-20-	Evolute	4-DR 4x2 w/SAB		S			S	S	S	Sz				М	S					
Cadillac	Escalade	4-DR 4x4 w/SAB		S			S	S	S	Sz				M	S					

		,	/ehicle	;		I	RATING	S				S	AFE	TY I	FEAT	TURES Ratings
	ithe theigh	4	1th 1th		ontal Crash Te		Crash Test	Rollover	ne de la company	John Shilly Co	ited his	in the state of th	Preside Maniel	ed Steff John Section	Market Printer Parket	****** Best * = Worst TBI To Be (Crash) Tested TBR To Be Reated for Rollover Resistance Under review ND No Data, either because of instrument failure during the test or because the seat would not accommodate the instruments W/SAB The vehicle tested was equipped with a side-impact air bag
Cadillac	Escalade EXT	***	****				4-DR 4x4 w/SAB	S	S	S	S		S	S	S	§ High likelihood of pelvic injury
Cadillac	Escalade ESV	****	***				4-DR	S	S	S	S	S	S	S	S	¥ High likelihood of thigh injury h Higher likelihood of head injury
Cadillac	SRX	TBT	TBT	TBT	TBT	TBR	4-DR w/SAB	S	S		S	S	S	S	S	2-DR 2-door model
Chevrolet	Avalanche						4-DR 4x2 w/SAB	S	A	A			S	S	A	4-DR 4-door model
GIEVIOIEL	Avaiantic	***	****				4-DR 4x4 w/SAB	S			S		S	S	A	HB Hatchback
							2-DR 4x2	S					A	S		4X2 2-whoel drive model 4X4 4-whoel drive model
Chevrolet	Blazer	***	****	****	****		2-DR 4x4	S			S		A	S		ExCab Extended Cab
CHEVIOLEL	DIdZei						4-DR 4x2	S					A	S		EV Electric Vehicle
		***	****	****	****		4-DR 4x4	S			S		A	S		a Door became unlatched
							4x2	S	А	A		S	A	S	A	Safety Key
Chevrolet	Suburban 1500	***	***				4x4	S	A		S	S	A	S	A	S Standard on all vehicles in that model line
						TBR	4x2	S	A	A		S	A	S	A	 A Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model
Chevrolet	Tahoe	****	****			TBR	4x4	S	A		S	S	l A	S	A	year as standard on all vehicles in that model line
							4x2	A						S		b In "4-Wheel ABS" column indicates Brake Assist f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards
Chevrolet	Tracker	****	****	****	****		4x4	A			S			S		for front seat head restraints
						***	4x2	S		A			A	S	A	x Driver side only d Door mounted side-impact air bag
Chevrolet	TrailBlazer	***	***	****	****	****	4x4 w/SAB	S		,,	S		A	S	A	d boor mounted side-impact air bag M Meets voluntary quidelines for side-impact air bag (SAB) out-of-position (OOP) testing
							4x2	S		Δ	J		Δ	ς	Δ	r Roof rail mounted side-impact air bag
Chevrolet	TrailBlazer EXT						4x4	S		n	S		A	5	Δ	z Seat mounted side-impact air bag
							TAT	J			J		Л	3	п	Note: For vehicles with more than one row of rear seats, features are listed for the first row only.

		Vel	hicle			S	Α	F	E	Т	Υ	F	Ε	A	Т	U	R	Ε	S
Note:	s pot	*	and the state of t	killelik ju		_	_			A I N T S A I N T S A I N T S A I N T S A I N T S			-IMPAC	BAGS TAIR BA		A See Head Bell	aint Head Rea	J. J	
Cadillac	Escalade EXT	4-DR 4x4 w/SAB		S			S	S	S	Sz				М	S				Safety Key
Cadillac	Escalade ESV	4-DR		S			S	S	S	Sz				M	S			S	Standard on all vehicles in that model line
Cadillac	SRX	4-DR w/SAB	S	S	S	S	S	S		Sz		Sr	Sr	M	S			Α	Available as an option on some or all vehicles in that model line; or standard on
Chevrolet	Avalanche	4-DR 4x2 w/SAB 4-DR 4x4 w/SAB		S S			S S	S S	S S	Az Az				M M	S S				some vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that model line
Chevrolet	Blazer	2-DR 4x2 2-DR 4x4 4-DR 4x2 4-DR 4x4		\$ \$ \$ \$		S S S	\$ \$ \$ \$								\$ \$ \$ \$			b f x d	In "4-Wheel ABS" column indicates Brake Assist In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints Driver side only Door mounted side-impact air bag
Chevrolet	Suburban 1500	4x2 4x4		S			S	S	S	Az Az				M	S			М	Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing Roof rail mounted side-impact air bag
Chevrolet	Tahoe	4x2		S			S	S	S	Az				M	S			Z	Seat mounted side-impact air bag
		4x4		S			S	S	S	Az				М	S			No	ote: For vehicles with more than one row of rear seats, features are listed for the first row only.
Chevrolet	Tracker	4x2 4x4	S			S S	S S								Sf Sf				on ony.
Chevrolet	TrailBlazer	4x2 4x4 w/SAB		S S		S S	S S	S S		Az Az				M M	S S				
Chevrolet	TrailBlazer EXT	4x2 4x4		S S		S S	S S	S S		Az Az				M M	S S				
						1													

		١	/ehicle			F	RATING	SS				S	AFE	ΤΥΙ	FEA	TURES
	e mid	\display \di	\$ \delta \right{\delta}		ntal Crash Te		Crash Test	Rollover	ne de la company	John Sality Col	ind him	Mr. dring.	Presure Marital	A Specific S	A Mires Light Reference Light	***** = Best * = Worst IBI To Be (Crash) Tested
Chrysler	Pacifica	****	****	****	****	TBR TBR	4x2 4x4	S S		A	S	A A	A A	A A		§ High likelihood of pelvic injury ¥ High likelihood of thigh injury
Dodge	Durango	TBT	TBT			TBR TBR	4x2 4x4	S S		A A	S		A A	A A		h Higher likelihood of head injury 2-DR 2-door model 4-DR 4-door model
Ford	Escape	****	****	****	****		4-DR 4x2 4-DR 4x4	A A			S					HB Hatchback 4X2 2-wheel drive model 4X4 4-wheel drive model
Ford	Excursion						4-DR 4x2 4-DR 4x4	S			S		S			ExCab Extended Cab EV Electric Vehicle
Ford	Expedition	****	****				4-DR 4x2 4-DR 4x4	S S	A A		S	\$ \$	A A			a Door became unlatched Safety Key
Ford	Explorer	****	****	*****	****	TBR TBR	4-DR 4x2 4-DR 4x4	S S	A A	A A	S	A A	A A			S Standard on all vehicles in that model line A Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others, or will be introduced part way through the model year as standard on all vehicles in that model line
Ford	Explorer Sport Trac					** TBR	4-DR 4x2 4-DR 4x4	S S			S		A A			b In "4Wheel ABS" column indicates Brake Assist f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards
GMC	Envoy	***	***	****	****	***	4x2 4x4	S S		A	S		A A	S S	A A	for front seat head restraints x Driver side only d Door mounted side-impact air bag
GMC	Envoy XL						4x2 4x4	S S		A	S		A A	S S	A A	M Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing r Roof rail mounted side-impact air bag z Seat mounted side-impact air bag
																Note: For vehicles with more than one row of rear seats, features are listed for the first row only.

		V e	hicle	,		S	Α	F	E	Т	Υ	F	Ε	A	T	U	R		E	S
16th	s me	_{lud} i	A feeted his	Harak like	Weight the less				/	A I N I S A I N I S	Red Front		-IMPAC	BAGS TAIR BA		ES LESS DES	in Head Res	i dini		
Chrysler	Pacifica	4x2	S		S	S						Ar	Ar	М	S					Safety Key
		4x4 4x2	S	S	S	S		S	S			Ar Ar	Ar Ar	M M	S					Standard on all vehicles in that model line Available as an option on some or all vehicles in that model line; or standard on
Dodge	Durango	4x4	S	S	S	S		S	S			Ar	Ar	М	S				b	come vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that
Ford	Escape	4-DR 4x2	S		S	S				Az		Az		М	S					nodel line n "4-Wheel ABS" column indicates Brake Assist
		4-DR 4x4 4-DR 4x2	S		S	S				Az		Az		М	S				f I	n "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints
Ford	Excursion	4-DR 4x4	S	S	S	S									S					neets reaeran standards for front sear nead restraints Driver side only
Ford	Expedition	4-DR 4x2	S	S	S	S		S				Ar	Ar	М	S					Oor mounted side-impact air bag
1014	Exposition	4-DR 4x4	S	S	S	S		S				Ar	Ar	М	S				t	Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) esting
Ford	Explorer	4-DR 4x2 4-DR 4x4	S	S S	S	S		S S				Ar Ar	Ar Ar	M M	S S					Roof rail mounted side-impact air bag Seat mounted side-impact air bag
		4-DR 4x2	S	3	S	S		S				Ar	Ar	M	S					For vehicles with more than one row of rear seats, features are listed for the first
Ford	Explorer Sport Trac	4-DR 4x4	S		S	S		S				Ar	Ar	М	S				I	ow only.
GMC	Envoy	4x2		S		S	S	S		Az				М	S					
		4x4		S		S	S	S		Az				M	S					
GMC	Envoy XL	4x2 4x4		S S		S	S	S S		Az Az				M M	S S					
								-												

		١	/ehicle				RATING	S				S	AFE	TYI	FEA	TURES
thi	sc nege	Š	15 As		ntal Crash Te		Crash Test	Rollover	He He The	Statiff Color	ind his	Mres Drive	Presule Manier	ed Steff John Section	A Mercia State Sta	****** = Best * = Worst IBI To Be (Crash) Tested TBR To Be Rated for Rollover Resistance □ Under review ND No Data, either because of instrument failure during the test or because the seat would not accommodate the instruments W/SAB The vehicle tested was equipped with a side-impact air bag
GMC	Envoy XUV	TBT	TBT				4x2 4x4	S S		A	S		A A	S S	A A	S High likelihood of pelvic injury High likelihood of thigh injury h Higher likelihood of head injury
GMC	Yukon	****	****			TBR TBR	4x2 4x4	\$ \$	A	A	S	S S	A A	S S	A A	2-DR 2-door model 4-DR 4-door model
GMC	Yukon Denali	****	****			TBR TBR	4x2 4x4	S S	A	A	S	S S	S S	S S	A A	HB Haltchback 4X2 2-wheel drive model 4X4 4-wheel drive model
GMC	Yukon Denali XL	****	***				4x2 4x4	S S	A A	A	S	S S	S S	S S	A A	ExCab Extended Cab EV Electric Vehicle a Door became unlatched
GMC	Yukon XL	****	***				4x2 4x4	S	A A	A	S	S	A A	S S	A A	Safety Key S Standard on all vehicles in that model line
Honda	CR-V	****	****	****	****		4x2 4x4	A A			S					Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that model line.
Honda	Element	****	****		****h		4x2 4x4	A A			S					b In "4-Wheel ABS" column indicates Brake Assist f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints
Honda Hyundai	Pilot Santa Fe	****	***** ****¥	****	ND ND	TBR	4-DR 4x4 w/SAB 4-DR 4x2 4-DR 4x4	S A A		A	S	A A	A A			X Driver side only d Door mounted side-impact air bag M Meeds voluntary quidelines for side-impact air bag (SAB) out-of-position (OOP) testing
Hummer Infiniti	H2 FX35/45	TBT	TBT	ТВТ	TBT		4x4 4x4 4-DR 4x4	S	S	C	S	٨	S	S	S	r Roof rail mounted side-impact air bag z Seat mounted side-impact air bag
	TA30740	IDI	IDI	IDI	IDI		4-01(434	3	3	3	3	A	3			Note: For vehicles with more than one row of rear seats, features are listed for the first row only.

		Vel	hicle			S	Α	F	E	Т	Υ	F	Ε	A	Т	U	R	E	S
12 ³ 2 ⁵ 2	net to	_{turb} i	A REPORT OF	Maria le lippe	Bate little St.	_	/ /			A I N T S A I N T S A I N T S A I N T S	Codure	$\overline{}$	- IMPAC	BAGS TAIR BA TAIR BA		ES LEGISTO OF THE	A Head Restri	jul /	
GMC	Envoy XUV	4x2 4x4		S S		S S	S S	S S		Az Az				M M	S S				Safety Key
GMC	Yukon	4x4 4x2 4x4		S		3	S	S	S S	Az Az				M M	S			S A	Standard on all vehicles in that model line Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that
GMC	Yukon Denali	4x2 4x4		S S			S S	S S	S S	Az Az				M M	S S			b	model line In "4-Wheel ABS" column indicates Brake Assist
GMC	Yukon Denali XL	4x2 4x4		S S			S S	S S	S S	Az Az				M M	S S			f x	In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints Driver side only
GMC	Yukon XL	4x2 4x4		S S			S S	S S	S S	Az Az				M M	S S			d M	Door mounted side-impact air bag Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
Honda	CR-V	4x2 4x4	S S		S S	S S		S S		Az Az				M M	S S			r Z	Roof rail mounted side-impact air bag Seat mounted side-impact air bag
Honda	Element	4x2 4x4	S S		S S	S S				Az Az				M M	S S			Not	te: For vehicles with more than one row of rear seats, features are listed for the first row only.
Honda	Pilot	4-DR 4x4 w/SAB	S		S	S		S		Sz				М	S				
Hyundai	Santa Fe	4-DR 4x2 4-DR 4x4	S S		S S	S S				Sz Sz		Sz Sz			S S				
Hummer	H2	4x4		S			S	S	S						S				
Infiniti	FX35/45	4-DR 4x4	S	S	S	S		S		Sz		Sr	Sr	М	S	S			

		\	Vehicle	:		ı	RATING	S				S	AFE	ΤΥΙ	FEA	TURES	Ratings
Wiles	ned	3	¹ 100 210		ntal Crash Te		Crash Test	Rollover	Weglig High	grafi Salify Col	Hed half	Mestine in	Presure Indian	of Selection of the Sel	Market Printers of the State of	TBT TO Be (Crash) TBR TO Be Rated Under review ND No Data, eith the seat wou	**** = Best * = Worst Tested or Rollover Resistance er because of instrument failure during the test or because d not accommodate the instruments sted was equipped with a side-impact air bag
Isuzu	Ascender 5-Passenger	***	***	****	****	TBR TBR	4x2 4-DR 4x4 w/SAB	\$ \$			S		A A			¥ High likelihoo	d of pelvic injury d of thigh injury
Isuzu	Ascender 7-Passenger	***				TBR TBR	4x2 4-DR 4x4 w/SAB	S S			S		A A			h Higher likelih 2-DR 2-door model 4-DR 4-door model	
Isuzu	Axiom			****	****		4x2 4x4	S S					A A			HB Hatchback 4X2 2-wheel drive	
Isuzu	Rodeo						4x2 4x4	S S			S S	S S				4X4 4-wheel drive ExCab Extended Cat EV Electric Vehicl)
Jeep	Grand Cherokee	***	***	****	****		4x2 4x4	S S		A A	S	A A	A A			a Door became Safe	unlatched ty Key
Jeep	Liberty	****	****	****	****	***	4x2 4x4	A A		A A	S	A A	A A			model line but not available or an option on	s in that model line; or standard on some vehicles in that others; or will be introduced part way through the model
Jeep	Wrangler Sorento	****	****	****	****	TBR	4x4	A		S	c		A			year as standard on all vehicles in that mode b In "4-Wheel ABS" column indicates Brake A	el line ssist
Kia Land Rover	Discovery	****	****	****		IDK	4x4 4-DR 4x4	S		S	S		S			f In "Rear Seat Head Restraint" column indica for front seat head restraints x Driver side only	tes that the restraint voluntarily meets federal standards
Land Rover	Freelander						2-DR 4-DR	S S		S S	S S					d Door mounted side-impact air bag M Meets voluntary guidelines for side-impact ai	r bag (SAB) out-of-position (OOP) testing
Land Rover	Range Rover						4-DR	Sb	S	S	S		S			r Roof rail mounted side-impact air bag z Seat mounted side-impact air bag	
Lexus	GX470						4x4	S	S	S	S	S	S	S		Note: For vehicles with more than one row of rear	seats, features are listed for the first row only.

		Vel	hicle			S	Α	F	E	Т	Υ	F	Ε	A	Т	U	R		E	S
We.	He state of the st	net ²	e de la companya della companya de la companya della companya dell	Sale Upper				_	//	AINTS AINTS AINTS AINTS AINTS	edure /		-IMPAC	BAGS TAIR BA	A G S	as leadest	in Heat Rest	juth	/	
Isuzu	Ascender 5-Passenger	4x2						S												Safety Key
Isuzu	Ascender 7-Passenger	4-DR 4x4 w/SAB 4x2 4-DR 4x4 w/SAB						\$ \$ \$											A	Standard on all vehicles in that model line Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that
Isuzu	Axiom	4x2 4x4	S S	S S		S S													b	model line In "4-Wheel ABS" column indicates Brake Assist
Isuzu	Rodeo	4x2 4x4	S S	S S		S S														In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints Driver side only
Jeep	Grand Cherokee	4x2 4x4	S S		S S	S S						Ar Ar	Ar Ar		S				М	Door mounted side-impact air bag Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
Jeep	Liberty	4x2 4x4	S S		Sx Sx	S S		S S	S S			Ar Ar	Ar Ar	M M	S				r	Roof rail mounted side-impact air bag Seat mounted side-impact air bag
Jeep	Wrangler	4x4	S			Sx														For vehicles with more than one row of rear seats, features are listed for the first
Kia	Sorento	4x4	S		S	S	S	S				Sr	Sr							row only.
Land Rover	Discovery	4-DR 4x4	S		S	S		S							Sf					
Land Rover	Freelander	2-DR 4-DR	S		S S	S S		S S							Sf Sf					
Land Rover	Range Rover	4-DR	S	S	S	S	S	S		Sd		Sr	Sr		Sf					
Lexus	GX470	4x4	S	S	S	S	S	S		Sz		Sr	Sr	М	S	S				
			1			1	1													

		١	/ehicle			I	RATING	SS				S	AFE	TYI	FEAT	TURES
				Fro	ntal Crash Te	st Side	Crash Test	Rollover						$\overline{}$		**** = Best
					/ /	/ /				/ /	' /	/ /	/ /	. Herr	sirrors /	TBT To Be (Crash) Tested
										/ (8	,irol		/	nd Sylvanie	M Mill dis	TBR To Be Rated for Rollover Resistance
				/ /	narit ,	/ sait /	ansistanti.	. do.	/s /	Capility	alfal .	Sill [®]	6 Monte	ing Real	ming L's	S Under review
Make	Model	di	¹ 4 /26	Settle Fig	and Ottopari	of Octobril Rolls	net Residence Inch	A LEBERT LA	ined lass the	ton Statistics	in Coltrol Ali	Med Dive	Presur Mendi	nd Spering Regular	A REPORT OF THE PARTY OF THE PA	IBI Io Be (Crash) Jested TBR To Be Rated for Rollover Resistance Under review ND No Data, either because of instrument failure during the test or because the seat would not accommodate the instruments W/SAB. The whicle tested was enuitoned with a side-immad air bag.
				$\overline{}$			\leftarrow	\leftarrow				<u>/ `</u>			<u> </u>	7.77
Lexus	LX470						4x4	S	S	S	S		S	S		§ High likelihood of pelvic injury
Lexus	RX330	****	****	****	****		4-DR 4x4	S	S	S	S	S	S	S		¥ High likelihood of thigh injury
							4x2	S	А	А		S	А			h Higher likelihood of head injury 2-DR 2-door model
Lincoln	Aviator	TBT	TBT				4x4	S	Δ	Δ	S	S	Δ			4DR 4door model
		101	101				4x2	S	Λ	, A	3	S	S			HB Hatchback
Lincoln	Navigator								A			Ů	ľ			4X2 2-wheel drive model
		****	****				4x4	S	A		S	S	S			4X4 4-wheel drive model
Mazda	Tribute						4-DR 4x2	Α								ExCab Extended Cab
IVIAZUA	Hibute	****	****	****	****		4-DR 4x4	Α			S					EV Electric Vehicle
Mercedes Benz	G-Class						4x4	S	S	S	S		S	S	S	a Door became unlatched
Mercedes Benz							4x4	S	S	S	S		S	S	S	Safety Key
IVICILEUCS DELIZ	IVI-CIASS					TDD			3	3	3		3	J	3	S Standard on all vehicles in that model line
Mercury	Mountaineer					TBR	4x2	S	А	A		A	A			A Available as an option on some or all vehicles in that model line; or standard on some vehicles in that
		****	****	****a	****	TBR	4x4	S	A	A	S	A	A			model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that model line
Mitsubishi	Endeavor	****	****	****	****		4x4	A	A	A	S	S				b In "4-Wheel ABS" column indicates Brake Assist
Mitsubishi	Montero						4x4	S	S	S	S	S				f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards
Mitsubishi	Montero Sport	****	***	****	****		4x4	A			S		S			for front seat head restraints
Mitsubishi	Outlander	****	****	****	****		4x4	A			S		Δ			x Driver side only
Nissan	Murano			****	****		4x4	S	Δ	Δ	S	Δ	S			d Door mounted side-impact air bag M Meets voluntary quidelines for side-impact air bag (SAB) out-of-position (OOP) testing
Nissan	Pathfinder			****	****		4x4 4x4	S	٨	n	S	A	J			r Roof rail mounted side-impact air bag
				1	^^^^				A							z Seat mounted side-impact air bag
Nissan	Armada						4x4	S	S		S	S	A			Note: For vehicles with more than one row of rear seats, features are listed for the first row only.
				l	1		I									Note. For versions what there than one form of real seats, readures are listed for the first few only.

		V el	hicle			S	A	F	E	T	Υ	F	E	A	T	U	R	E	,
1300	ne ^d	, no	REPORT A	Madale Unit	Participal of the state of the		C U P A		ESTR		A STREET STREET STREET	$\overline{}$	- IMPAC	BAGS TAIR BA		es led broil	i. Liked Restain	-	
Lexus	LX470	4x4	S	S	S	S	S	S		Sz		Sr	Sr	М	S	S			
Lexus	RX330	4-DR 4x4	S		S	S		S	S	Sz		Sr	Sr	М	S	S		S	Stan
Lincoln	Aviator	4x2	S	S	S	S		S				Sr	Sr	М	S			Α	Avai
LINCOIII	Aviatoi	4x4	S	S	S	S		S				Sr	Sr	М	S				som be ir
Lincoln	Navigator	4x2	S	S	S	S		S				Sr	Sr	М	S				mod
LINGOIT	Havigator	4x4	S	S	S	S		S				Sr	Sr	М	S			b	In "!
Mazda	Tribute	4-DR 4x2	S		S	S				Az		Az		М	S			'	mee
Mazuu	mbutc	4-DR 4x4	S		S	S				Az		Az		М	S			Х	Drive
Mercedes Benz	G-Class	4x4	S	S	S										S			d	Door
Mercedes Benz	M-Class	4x4	S	S	S			S		Sd	Sd	Sr	Sr					M	Mee testii
Mercury	Mountaineer	4x2	S	S	S	S		S				Ar	Ar	М	S			ſ	Roof
Wording	Wouldinger	4x4	S	S	S	S		S				Ar	Ar	М	S			Z	Seat
Mitsubishi	Endeavor	4x4	S		S	S		S		Az				М	S			Note.	
Mitsubishi	Montero	4x4	S		S	S		S		Sz				М	S				row
Mitsubishi	Montero Sport	4x4	S		S	S		A							S				
Mitsubishi	Outlander	4x4	S		S	S		S		Az				М					
Nissan	Murano	4x4	S	S	S	S		S		Sz		Sr	Sr	М	S	S			
Nissan	Pathfinder	4x4	S		S	S				Az		Ar	Ar	М	S				
Nissan	Armada	4x4	S	S	S	S		S	S	Az		Sr	Sr	М	S				

Safety Key

- S Standard on all vehicles in that model line
- A Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that model line
- In "4-Wheel ABS" column indicates Brake Assist
- f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints
- Driver side only
- d Door mounted side-impact air bag
- M Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
- r Roof rail mounted side-impact air bag
- z Seat mounted side-impact air bag

Note: For vehicles with more than one row of rear seats, features are listed for the first row only.

		١	/ehicle			I	RATING	SS		/		S	AFE	TΥΙ	FEA	TURES
				Fro	ontal Crash Tes	st Side	Crash Test	Rollover								**** = Best
				/	/ /	/ /			/	/ /	/ /	/ /	/ /	ART.	irtus /	TBT To Be (Crash) Tested
										,,	atrol		/.iš	MS SAS VIEW	M Miller Country	is intraded TBR To Be Rated for Rollover Resistance
		,		/, ,	, rati	/ satt /	20 sistanti	, do,	/ss /	Statiffy	ritrol	Silve	P. Monte	ing Real	THING!	o Under review
Make	Model	Qi,	ip \ 48	Settle Cit	and Octobali Res	of Octobril Rolls	A RESERVE MAN	A TEREI	inted HES THE	State State State Co	citor Control Mil	Med Dive	e Presure Indition	nd Syleti Stiming Reading	A REPORT LIGHT	BBT Disc (Crash) Distered
			\leftarrow	\leftarrow	\leftarrow	<u> </u>	\leftarrow	\leftarrow	<u>/ </u>	<u>/ </u>		<u>/ `</u>	/ "	\ \(\frac{\partial}{\partial}\)	Re	7
Nissan	Xterra	****	****	****	****		4x4	S	A		S		A			§ High likelihood of pelvic injury
Oldsmobile	Bravada					***	4x2	S		A			A	S	S	¥ High likelihood of thigh injury h Higher likelihood of head injury
Olusinobilo	Diavada	***	***	****	****	****	4x4 w/SAB	S			S		A	S	S	2-DR 2-door model
Pontiac	Aztek	***	****	****	***		4x4	А		A	S	А	A	S	А	4DR 4door model
Porsche	Cayenne						4x4		S	S	S	S	A	А		HB Hatchback
Porsche	Cayenne S						4x4		S	S	S	S	A	A		4X2 2-wheel drive model
Porsche	Cayenne Turbo						4x4		S	ς	S	S	Δ	Δ		4X4 4-wheel drive model ExCab Extended Cab
Saturn	VUE	TBT	TBT	****	****		4x4	٨	3		S	,	, A	S	Λ	EV Electric Vehicle
Suzuki	Vitara	****	****	****	****		4x4	Λ			J			S	Л	a Door became unlatched
Suzuki	Grand Vitara	****	****	****	****h		4x4 4x4	A						S		Safety Key
		^^^^	^^^^	^^^^	^^^^			A					-	l		S Standard on all vehicles in that model line
Suzuki	Grand Vitara XL7						4x4	A						S		A Available as an option on some or all vehicles in that model line; or standard on some vehicles in that
Toyota	4Runner					***	4x2	S	S	S		S	A	A		model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that model line
		TBT	TBT	****	****	***	4x4	S	S	S	S	S	A	A		b In "4-Wheel ABS" column indicates Brake Assist
Toyota	Highlander	TBT	TBT	TBT	TBT		4x4	S	S	S	S	S	A	A		f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards
Toyota	Land Cruiser						4x4	S	S	S	S		S	S		for front seat head restraints x Driver side only
Toyota	RAV4	TBT	TBT	****	****		4x4	S	S	S	S	S	A	А		d Door mounted side-impact air bag
Toyota	Scion xB						4x4	S	S	S	S					M Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
Toyota	Seguioa	****	****				4x4	S	S	S	S		S	А		r Roof rail mounted side-impact air bag
Volkswagen	Touareg	TBT	TBT	TBT	TBT	TBR	4x4 w/SAB	S	S	S	S	S	S	S	A	z Seat mounted side-impact air bag
		.5.	5.		1.5.	15.1									.,	Note: For vehicles with more than one row of rear seats, features are listed for the first row only.

		V el	hicle			S	Α	F	E	Т	Υ	F	Ε	A	T	U	R	E	S
Wage.	, posit	, inch	at least his	Market Lines	A STATE OF S	_	/ /			A I N I S A I N I S A I N I S A I N I S A I N I S			-IMPAC	BAGS TAIR BI		S. S. Head Bearing	in the destroit		
Nissan	Xterra	4x4	S		S	S						Ar	Ar	М					Safety Key
Oldsmobile	Bravada	4x2 4x4 w/SAB		S		S S	S S	S S		Az Az				M M	S			S A	Standard on all vehicles in that model line Available as an option on some or all vehicles in that model line; or standard on
Pontiac	Aztek	4x4	S	S		S	S	S		Az					S				some vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that
Porsche	Cayenne	4x4	S	S	S	S		S		S	S	S	S		S				model line
Porsche	Cayenne S	4x4	S	S	S	S		S		S	S	S	S		S			b	In "4-Wheel ABS" column indicates Brake Assist
Porsche	Cayenne Turbo	4x4	S	S	S	S		S		S	S	S	S		S			f	In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints
Saturn	VUE	4x4	S		S	S	S	S				Ar	Ar	М				х	Driver side only
Suzuki	Vitara	4x4	S			S									S			d	Door mounted side-impact air bag
Suzuki	Grand Vitara	4x4	S	l		S									S			M	Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
Suzuki	Grand Vitara XL7	4x4	S	S	S	S	S	S	S						S			r	Roof rail mounted side-impact air bag
Torreto	4D	4x2	S		S	S	S	S		Az		Ar	Ar	М	S	S		Z	Seat mounted side-impact air bag
Toyota	4Runner	4x4	S		S	S	S	S		Az		Ar	Ar	М	S	S		Note	e: For vehicles with more than one row of rear seats, features are listed for the first
Toyota	Highlander	4x4	S	1	S	S		S	S	Az		Ar	Ar	М	S	S			row only.
Toyota	Land Cruiser	4x4	S	S	S	S	S	S		Az		Ar	Ar	М	S	S			
Toyota	RAV4	4x4	S		S	S		S		Az		Ar	Ar	М	S	S			
Toyota	Scion xB	4x4	S		S	S	S	S							S	S			
Toyota	Sequioa	4x4	S	S	S	S	S	S		Az		Ar		М	S	S			
Volkswagen	Touareg	4x4 w/SAB	S	S	S	S		S	A	Sz		Sr	Sr	М	S				

		١	/ehicle			I	RATING	SS		/		S	AFE	TΥΙ	FEA	TURES
				Fro	ntal Crash Te	st Side	Crash Test	Rollover								**** = Best
					/ /	/ /				/ /	/ /	/ /	/ /	den /	inds /	TBT To Be (Crash) Tested
							/.			/ (8	ital /		/.š	MSY / Sin	the little	TBR To Be Rated for Rollover Resistance
				/ ,		/ <u>, , </u>	sistante /	. do .	/5	Tability V	and	ain [®]	Monito	, al Real	Ting Lis	○ Under review
Mak	s Motes	di	şt /26	strigt (1	nd Octoball Re	A OCCUPANT ROBE	ndig Heistelle Middle	A REAR LA	ined lass the	storie Stality Col	tion Control Alli	Meel Drive	E Presure Heridi	A SHEET SERVICE	AND BURNEY HATE	TBI To Be (Crash) tested TBR To Be Rated for Rollover Resistance Under review ND No Data, either because of instrument failure during the test or becather the seat would not accommodate the instruments W/SAB The vehicle tested was equipped with a side-impact air bag
\leftarrow			\leftarrow	\leftarrow	\leftarrow	\leftarrow		\leftarrow	<u> </u>	<u> </u>		<u> </u>	_ 		<u> </u>	
Volvo	XC90	****	****	****	****	****	4-DR 4x4	S	S	S	S		S	S		§ High likelihood of pelvic injury
2004 Li	ght Trucks															¥ High likelihood of thigh injury
							4x2	S		А			A	S	A	h Higher likelihood of head injury 2-DR 2-door model
							4x2 EXCAB	S		l A			A	S	A	4-DR 4-door model
		TBT	TBT	TBT	TBT		4x2 CC	S		Δ			Δ	S	Δ	HB Hatchback
Chevrolet	Colorado	101	101	101	IDI			-		, n	C		, n		n 4	4X2 2-wheel drive model
							4x4	S			S		A	S	A	4X4 4-wheel drive model
							4x4 Excab	S			S		A	S	A	ExCab Extended Cab
							4x4 CC	S			S		A	S	A	EV Electric Vehicle
01	0.10						4x2 CC	S						S		a Door became unlatched
Chevrolet	S-10						4x4 CC	S			S			S		Safety Key
		****	***				4x2	S		Δ			Δ	S	A	S Standard on all vehicles in that model line
		****	***			****	4x2 EXCAB	S					\ \ \ \	S	, A	A Available as an option on some or all vehicles in that model line; or standard on some vehicles in t
							l ' '	Ů		A			A	Ĭ	A	model line but not available or an option on others; or will be introduced part way through the mo year as standard on all vehicles in that model line
Chevrolet	Silverado 1500	TBT	TBT				4x2 CC	S		A			A	S	A	b In "4-Wheel ABS" column indicates Brake Assist
							4x4	S			S		A	S	A	f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standard
						****	4x4 Excab	S			S		A	S	A	for front seat head restraints x Driver side only
							4x4 CC	S			S		A	S	A	d Door mounted side-impact air bag
Chevrolet	SSR						4x2	S						S		M Meets voluntary quidelines for side-impact air bag (SAB) out-of-position (OOP) testing
3,13,4,0,00							4x2	٨					٨	-		r Roof rail mounted side impact air bag
Dodge	Dakota							, A			_		A			z Seat mounted side-impact air bag
							4x4	A			S		A			Note: For vehicles with more than one row of rear seats, features are listed for the first row only.
																and the state of t

		Ve	hicle			S	A	F	E	T	Υ	F	E	A	T	U	R	E	S
1	ke has	, and the second	and the state of t	in the state of th		_	$\overline{}$			A I N T S		$\overline{}$	-IMPAC	BAGS TAIR BA		seit oneit	i. Head Restrict		
Volvo	XC90	4-DR 4x4	S		S	S		S		Sz		Sr	Sr		S	S			Safety Key
2004 L	i ght Trucks Colorado	4x2 4x2 EXCAB 4x2 CC 4x4	\$ \$ \$ \$		\$ \$ \$ \$	\$ \$ \$ \$	\$ \$ \$ \$	S				Ar Ar Ar	Ar Ar	M M M	S			S A b	Standard on all vehicles in that model line Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that model line In "4-Wheel ABS" column indicates Brake Assist In "Rear Seat Head Restraint" column indicates that the restraint voluntarily
Chevrolet	S-10	4x4 Excab 4x4 CC 4x2 CC 4x4 CC	S S		S S	S S Sx Sx	S S S	S				Ar Ar	Ar Ar	M M	S S			x d M	meets federal standards for front seat head restraints Driver side only Door mounted side-impact air bag Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP)
Chevrolet	Silverado 1500	4x2 EXCAB 4x2 EXCAB 4x2 CC 4x4 4x4 Excab 4x4 CC		S S S		JA	\$ \$ \$ \$ \$	S	\$ \$ \$ \$ \$						S S S			r z Noti	testing Roof rail mounted side-impact air bag Seat mounted side-impact air bag Seat mounted side-impact air bag e: For vehicles with more than one row of rear seats, features are listed for the first row only.
Chevrolet	SSR	4x2	S		S	S	S			Sz				M					
Dodge	Dakota	4x2 4x4	S S			S S													

		١	/ehicle			I	RATING	is				S	AFE	ΤΥΙ	FEA	TURES
					ntal Crash Te		Crash Test	Rollover	Med Med 148	itak salih çar	igo Called Mi	Med line	Presure Mandri	d Specific S	A Merce Strained Light	***** = Best * * = Worst TBT To Be (Crash) Tested
Dodge	ge ^c _N ot ^e Dakota Club Cab	***	****	****	ii	No.	4x2 4x4	A A	Mr. He	idd (rai	S B	Mr. Tr	A A	Day.	in kild	§ High likelihood of pelvic injury ¥ High likelihood of thigh injury
Dodge	Dakota Quad Cab	****	****	****	****		4-DR 4x2 4-DR 4x4	A A			S		A A			h Higher likelihood of head injury 2-DR 2-door model 4-DR 4-door model
Dodge	Ram 1500						4x2 4x4	A A			S		A A	A A		HB Halchback 4X2 2-wheel drive model 4X4 4-wheel drive model
Dodge	Ram 1500 Quad Cab	****	****				4-DR 4x2 4-DR 4x4	A A			S		A A	A A		ExCab Extended Cab EV Electric Vehicle
Ford	F-150	TBT	TBT			TBR TBR	4x2 4x4	S S			S		A A			a Door became unlatched Safety Key
Ford	F-150 Super Cab	TBT TBT	TBT TBT			TBR TBR	4x2 4x4	S			S		A A			S Standard on all vehicles in that model line A Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model
Ford	F-150 Super Crew	TBT TBT	TBT TBT				4x2 4x4	S S			S		A A			year as standard on all vehides in that model line b In "4Wheel ABS" column indicates Brake Assist f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards
Ford	F-150 Heritage	****	****	****	ND		4x2 4x4	S			S		A A			for front seat head restaints x Driver side only d Door mounted side-impact air bag
Ford	F-150 Heritage Super Cab	****	****	****	****		4-DR 4x2 4-DR 4x4	S S			S		A A			M Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing r Roof rail mounted side-impact air bag z Seat mounted side-impact air bag
																Note: For vehicles with more than one row of rear seals, features are listed for the first row only.

		V el	hicle			S	A	F	E	T	Υ	F	E	A	T	U	R	E	S
W.	se med	Į, iš	A Table A	intralle little	Part Inter	_	/ /			A I N I S A I N I N I S A I N I			- IMPAC	BAGS TAIR BA		S. S. Herde Registration of the Control of the Cont	s, lead Restrain	<u>/</u>	
Dodge	Dakota Club Cab	4x2	S			S													Safety Key
Dodge	Dakota Quad Cab	4x4 4-DR 4x2 4-DR 4x4	S S S		S S	\$ \$ \$												S A	Standard on all vehicles in that model line Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that
Dodge	Ram 1500	4x2 4x4	S S		S S	S S						Ar Ar	Ar Ar	M M				b	model line In "4-Wheel ABS" column indicates Brake Assist
Dodge	Ram 1500 Quad Cab	4-DR 4x2 4-DR 4x4	S S		S S	S S		S S				Ar Ar	Ar Ar	M M	S S			f X	In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints Driver side only
Ford	F-150	4x2 4x4			S S	S S	S S		S S									d M	Door mounted side-impact air bag Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
Ford	F-150 Super Cab	4x2 4x4			S S	S S	S S	S S	S S						S S			r z	Roof rail mounted side-impact air bag Seat mounted side-impact air bag
Ford	F-150 Super Crew	4x2 4x4	S S		S S	S S		S S	S S						S S			Note	e: For vehicles with more than one row of rear seats, features are listed for the first row only.
Ford	F-150 Heritage	4x2 4x4	S S		S S	S S													
Ford	F-150 Heritage Super Cab	4-DR 4x2 4-DR 4x4		S S	S S	S S	A A								S S				

			١	/ehicle				RATING					S	AFE	ΤΥΙ	FEA	TURES
	Make	, mad	4,4	to A		ntal Crash Te		Crash Test	Rollover	,	grafi sality cof	ind his	Mestine in	Production With	A State of the sta	A HIEROR DE PROPERTOR DE LA PORTOR DE LA PROPERTOR DE LA PROPERTOR DE LA PROPERTOR DE LA PROPE	***** = Best * = Worst IBT To Be (Crash) Tested TBR To Be (Arach) Tested TO Be Rated for Rollover Resistance Under review ND No Data, either because of instrument failure during the test or because the seat would not accommodate the instruments W/SAB The vehicle tested was equipped with a side-impact air bag
	ord	F-150 Heritage SVT						4x2 4x4	S S			S		A A			§ High likelihood of pelvic injury ¥ High likelihood of thigh injury
ı	ord	Ranger	****	****	****	ND ND		4x2 4x2 EXCAB 4x4 4x4 EXCAB	\$ \$ \$ \$			S S					h Higher likelihood of head injury 2-DR 2-door model 4-DR 4-door model HB Hatchback 4X2 2-wheel drive model 4X4 4-wheel drive model
	GMC	Canyon	ТВТ	TBT	TBT	ТВТ		4x2 4x2 EXCAB 4x2 CC 4x4	\$ \$ \$ \$		A A A	S		A A A	\$ \$ \$ \$	A A A	ExCab Extended Cab EV Electric Vehicle a Door became unlatched Safety Key
								4x4 Excab 4x4 CC	S S			S S		A A	\$ \$	A A	S Standard on all vehicles in that model line A Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that model line
	SMC	Sierra 1500	****	***			****	4x2 4x2 EXCAB 4x2 CC 4x4 4x4 Excab 4x4 CC	\$ \$ \$ \$ \$		A A A	\$ \$ \$		A A A A	\$ \$ \$ \$	A A A A	b In "4-Wheel ABS" column indicates Brake Assist f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints x Driver side only d Door mounted side-impact air bag M Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing r Roof rail mounted side-impact air bag
								4X4 UU	3			3		A	3	A	z Seat mounted side-impact air bag Note: For vehicles with more than one row of rear seats, features are listed for the first row only.

		Ve	hicle			S	A	F	E	T	Υ	F	E	A	T	U	R	E	S
	Mag. Mag.	, in	A TENER N	interest of the state of the st		_	$\overline{}$			AINIS AI		$\overline{}$	-IMPAC	BAGS TAIR BA		St. Drain	head Restrain	/	
Ford	F-150 Heritage SVT	4x2	S		S	S													Safety Key
Ford	Ranger	4x4 4x2 4x2 EXCAB 4x4 4x4 EXCAB	\$ \$ \$ \$		\$ \$ \$ \$	\$ \$ \$ \$												S A b	Standard on all vehicles in that model line Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that model line In "4-Wheel ABS" column indicates Brake Assist
GMC	Canyon	4x2 4x2 EXCAB 4x2 CC 4x4 4x4 Excab 4x4 CC	\$ \$ \$ \$ \$ \$		\$ \$ \$ \$ \$	\$ \$ \$ \$ \$	\$ \$ \$ \$ \$	S				Ar Ar Ar Ar Ar	Ar Ar Ar Ar	M M M M	S			f x d M r z	In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints Driver side only Door mounted side-impact air bag Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing Roof rail mounted side-impact air bag Seat mounted side-impact air bag
GMC	Sierra 1500	4x2 4x2 EXCAB 4x2 CC 4x4 4x4 Excab 4x4 CC		S S S			\$ \$ \$ \$ \$ \$	S	\$ \$ \$ \$ \$ \$						S S S			Not	e: For vehicles with more than one row of rear seats, features are listed for the first row only.


		١	/ehicle			I	RATING	SS				S	AFE	ΤΥΙ	FEA	TURES
120	e neget	<u>1</u> 1			ntal Crash Te		Crash Test	Rollover	need her the	Statilly Co.	ited his	Med line	E Presule Manifeli	A Steel Property of the Steel o	Me String 19th	***** = Best * = Worst TBT To Be (Crash) Tested
GMC	Sonoma	4	. 4,		, k	y Ru	4x2 CC 4x4 CC	S	. / 49	, 4g	S		NIII	S S	Mills	§ High likelihood of pelvic injury ¥ High likelihood of thigh injury
Mazda	B-Series	****	****	****	ND ND		4x2 4x2 EXCAB	S								h Higher likelihood of head injury 2-DR 2-door model 4-DR 4-door model
Nissan Nissan	Frontier Crew Cab Frontier King Cab	****	****	****	***** ND		4x2 4x2	S	A A							HB Halchback 4X2 2-wheel drive model 4X4 4-wheel drive model
Nissan Nissan	Titan Crew Cab Titan King Cab						4x2 4x2	S	A A			S	A			ExCab Extended Cab EV Electric Vehicle a Door became unlatched
Subaru	Baja						4x2	S		S	S		A	S A		Safety Key S Standard on all vehicles in that model line
Toyota	Tacoma	***	****	***§	ND ****	TBR ★★★	EXCAB 4x2 EXCAB 4x4 CC 4x2	S S	A A A	A A A	S			A A A		Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in that model line
Toyota	Tundra	****	****	****	ND		4x2 EXCAB 4x2	S S	A A	A A				A A		b In "4-Wheel ABS" column indicates Brake Assist f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints x Driver side only
							CC 4x2	S	A	A				А		d Door mounted side-impact air bag M Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing r Roof rail mounted side-impact air bag z Seat mounted side-impact air bag Note: For vehicles with more than one row of rear seats, features are listed for the first row only.

		Ve	hicle			S	A	F	E	Т	Υ	F	Ε	A	T	U	R		E	S
į, iš	ge ppe		a tided to	A SHERING LINE	Set light of		$\overline{}$			AINTS AI	A FEBRUAR CHEST		-IMPAC	BAGS TAIR BA		LES REALES	State Head Re	Strain	/	
GMC	Sonoma	4x2 CC				Sx	S								S					Safety Key
Mazda	B-Series	4x4 CC 4x2 4x2 EXCAB	S		S	Sx S	S								S					Standard on all vehicles in that model line Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model year as standard on all vehicles in the
Nissan	Frontier Crew Cab	4x2	S		S	S									S					model line
Nissan	Frontier King Cab	4x2	S		S	S													b	In "4-Wheel ABS" column indicates Brake Assist In "Rear Seat Head Restraint" column indicates that the restraint voluntarily
Nissan	Titan Crew Cab	4x2	S		S	S		S	S	Az		Ar	Ar	М	S				1	meets federal standards for front seat head restraints
Nissan	Titan King Cab	4x2	S		S	S		S	S	Az		Ar	Ar	М	S				Х	Driver side only
Subaru	Baja		S		S	S									S				d	Door mounted side-impact air bag
Toyota	Tacoma	4x2 EXCAB 4x2 EXCAB 4x4	S S		S S S	S S S													ſ	Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing Roof rail mounted side-impact air bag Seat mounted side-impact air bag
		CC 4x2	S		S	S									S				Note	: For vehicles with more than one row of rear seats, features are listed for the firs
Toyota	Tundra	4x2 EXCAB 4x2	S S		S S	S S									S					row only.
		CC 4x2	S	S	S	S		S							S					

			١	/ehicle				RATING					SI	AFE	ΤΥΙ	FEAT	TURES Ratings
	Wate.	ne ^{de}	4	\$ \ \q		ntal Crash Te		Crash Test	Rollover	Red Her I H	John Sailly Co	ind his	Med Dine in	Presur Wall	of States of Sta	A Hitel's Justine Light hately	***** = Best * = Worst IBI To Be (Crash) Tested TBR To Be (Arach) Tested TO Be Rated for Rollover Resistance Under review ND No Data, either because of instrument failure during the test or because the seat would not accommodate the instruments W/SAB The vehicle tested was equiposed with a side-impact air bag
	2004 Var	ıs															w/SAB The vehicle tested was equipped with a side-impact air bag § High likelihood of pelvic injury
	Chevrolet	Astro	***	****	****	****		4x2	S						S		¥ High likelihood of thigh injury
	cheviolet	ASIIO						4x4	S			S			S		h Higher likelihood of head injury 2-DR 2-door model
	Chevrolet	Express Passenger 1500						4x2	S						S	A	4-DR 4-door model
	oneviolet	Express russenger 1500						4x4	S			S			S	A	HB Hatchback 4X2 2wheel drive model
	Chevrolet	Venture	****	****	****	****		w/SAB	A		A	A			S	A	4X2 2-wheel drive model
	Chrysler	PT Cruiser	****	****	****	****		w/SAB	A		A						ExCab Extended Cab
	Chrysler	Town & Country-SWB	****	****	****	****			A						A		EV Electric Vehicle
	Chrysler	Town & Country-LWB	****	****	****	****			S		A		A	A	A		a Door became unlatched
	cili yalei	IUWII α CUUIIII y-LWD	****	****	****	****		w/SAB	S		A	S	A	A	A		Safety Key
	Dodge	Caravan	****	****	****	****			A						A		S Standard on all vehicles in that model line
	D. J.	Const Constant DAID	****	****	****	****			S		A		A		A		 A Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will be introduced part way through the model
	Dodge	Grand Caravan-LWB	****	****	****	****		w/SAB	S		A	S	А		A		year as standard on all vehicles in that model line b In "4-Wheel ABS" column indicates Brake Assist
	Dodge	C/V Cargo Van-LWB/SWB							S						A		f In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards
	Ford	Econoline							S								for front seat head restraints
	Ford	Freestar	****	****	****	****	TBR		S	A	A		S	A			x Driver side only d Door mounted side-impact air bag
1	0110	0.6.1	***	****	****	****		4x2	S						S		M Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
	GMC	Safari						4x4	S			S			S		r Roof rail mounted side-impact air bag
1																	z Seat mounted side-impact air bag
																	Note: For vehicles with more than one row of rear seats, features are listed for the first row only.

		V e	hicle			S	Α	F	E	Т	Υ	F	E	A	T	U	R	E	S
"s _{to}	, Intel [®]	W	and the state of t	illigidie litte	A SEPTIMENT OF THE PERSON OF T	_	$\overline{}$			A I N I S			-IMPAC	BAGS TAIR BA		st like desiri	i. Head Restrict		
GMC	Savana Passenger 1500	4x2	S	S		S	S	S											Safety Key
		4x4	S	S		S	S	S										S	Standard on all vehicles in that model line
Honda	Odyssey	w/SAB	S	S	S	S		S	S	Sz					S			A	Available as an option on some or all vehicles in that model line; or standard on some vehicles in that model line but not available or an option on others; or will
Kia	Sedona		S	S	S	S	S								S				be introduced part way through the model year as standard on all vehicles in that
Mercury	Monterey		S	S	S	S		S		Az		Ar	Ar	М	S				model line
Mazda	MPV		S	S	S	S			S	Az		Az			Sf			þ	In "4-Wheel ABS" column indicates Brake Assist
Nissan	Quest	w/SAB	S	А	S	S		S	S	Az		Sr	Sr	М	S			ı	In "Rear Seat Head Restraint" column indicates that the restraint voluntarily meets federal standards for front seat head restraints
Oldsmobile	Silhouette	w/SAB	S	S	S	S	S			Sz					S			Х	Driver side only
Pontiac	Montana	w/SAB	S	S	S	S	S			Az					S		_	d	Door mounted side-impact air bag
Toyota	Sienna		S	S	S	S	S	S		Az		Ar	Ar	М	S	S		М	Meets voluntary guidelines for side-impact air bag (SAB) out-of-position (OOP) testing
																		r	Roof rail mounted side-impact air bag
																		Z	Seat mounted side-impact air bag
																		Not	te: For vehicles with more than one row of rear seats, features are listed for the first
																			row only.
				1		1													
			+	\vdash															

		Vehicle			RATINGS				SAFETY FEATURES								Ratings		
Who.	like to	4	\$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		ontal Crash Te		Crash Test	Rollover	Med Mark 18	Esteric Statistics for	iter central his	Meetine	E Presule Menici	nd specific percent	Market Printer light	at Cost Madical Cost	TBT TBR ∞ ND w/sab	***** Best * = Worst To Be (Crash) Tested To Be Rated for Rollover Resistance Under review No Data, either because of instrument failure during the test or because the seat would not accommodate the instruments	
GMC	Savana Passenger 1500						4x2	S						S	A		§	High likelihood of pelvic injury	
							4x4	S			S			S	A		¥ h	High likelihood of thigh injury Higher likelihood of head injury	
Honda	Odyssey	****	****	****	****		w/SAB	S		S							2-DR	2-door model	
Kia	Sedona	****	****	****	****			A									4-DR	4-door model	
Mercury	Monterey	****	****	****	****	TBR		S	А	A		S	А				HB	Hatchback	
Mazda	MPV	****	****	****	****			S		A							4X2	2-wheel drive model	
Nissan	Quest	****	****	TBR	TBR	TBR	w/SAB	S	А	S		S	A				4X4 ExCab	4-wheel drive model Extended Cab	
Oldsmobile	Silhouette	****	****	****	****	1511	w/SAB	S		5	Δ			S	Δ		EV	Electric Vehicle	
Pontiac	Montana	****	****	****	****		w/SAB	Λ		J A	Λ			S	Λ		a	Door became unlatched	
		****	****	****	****	TDD	W/ SAD	A		A	A		Α	3	А			Safety Key	
Toyota	Sienna	****	****	****	****	TBR		S	A	A	А	S	A	A		S Standard or	n all vehicles in t		
																A Available as model line	an option on so out not available	now or all vehicles in that model line; or standard on some vehicles in that or an option on others; or will be introduced part way through the model ides in that model line	
										-								indicates Brake Assist	
																	at Head Restrai at head restraint	nt" column indicates that the restraint voluntarily meets federal standards	
																x Driver side		J	
																	ed side-impact	air bag	
																M Meets volui	ntary guidelines	for side-impact air bag (SAB) out-of-position (OOP) testing	
																	Roof rail mounted side-impact air bag		
																z Seat mount	ed side-impact a	air bag	
																Note: For vehicles	with more than	n one row of rear seats, features are listed for the first row only.	





Adapting Motor Vehicles For People With Disabilities

Guide to assist persons with disabilities who want to purchase or modify a vehicle with adaptive equipment. The brochure provides a step-by-step process to help consumers evaluate their needs, select the right vehicle and choose a qualified dealer to modify their vehicle. It also includes general information on cost savings, licensing requirements and organizations to contact for help.



Antilock Brake Systems (ABS)

This brochure will educate consumers about the safety benefits of this safety technology and to answer general questions on the proper use of anti-lock brakes. It defines ABS, and how to determine whether your vehicle has ABS.



Buying A Safer Car For Child Passengers

This brochure assists consumers with children in making vehicle purchase decisions and provides them with information to help them assess the safety and family-friendly features of vehicles. It provides a vehicle safety checklist, identifies current model year vehicles that have manual air bag on/off switches, built-in child seats, rear center lap/shoulder belts and adjustable upper belts (rear).



Simple Facts About LATCH

This flyer describes the LATCH system, which makes child safety seat installation easier, without using the vehicle safety belt system.

(The flyer is also translated into Spanish).